# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY BUREAU OF LAND! FIELD OPERATIONS SECTION US I

#### RCRA INSPECTION REPORT



#### **GENERAL FACILITY INFORMATION**

USEPA ID #:	ILD000608471		IEPA ID #	t: 031600005	1
Facility Name:	Clean Harbors Se	ervices, Inc.	- 4>	Phone #:	(773) 646-6202
Location	11800 S. Stony Is	land Ave.		County:	Cook
City:	Chicago	State:	-Illinois-	Zip Code:	60617
Region:	Des Plaines	Inspection Date:	05/13/05	Time:	8:17 AM-11:52 AM
Weather:	Pt. Sunny, mid-60	's	white the second of the second	A	RECEIVED
		Type O	FACILITY		MAY Z 6 2085  PA/BOL
Notified As:	G1, T, S	``' ·∗·Re	gulated As: G	I, T, S	PA/C
	ě		<b>W</b> 1.01		10g/v
		TYPE OF	INSPECTION		
CEI: I CME	O&M: 🗌 CSI:	☐ NRR: ☐ C	CCI:   'PIF:	CVI: C	SE: CAO:
FUI to:	Other:				
	*	¥ .			
	Notis	FICATION INFORM	MATION (ÉPA	8700-12)	
Notification Dat	e: 7/2	29/80 (initial)	Service State of Francisco California	11/17	/80 (subsequent)
	·	name of	,		
	PART A PERMIT	Γ INFORMAŢΙΟΝ (	EPA 3510-3	OR EPA 8700	)-23)
Part A Date:		Amended:		Withdrawn:	
•			1. 55		· · · · · · · · · · · · · · · · · · ·
		PART B PERM	IIT INFORMATIO	ON	
(Check one if a	oplicable) Applicat	ion Submitted?	Permit Issue	d? 🔲 Date	•:
			d in mindeline	*	
		ACTIVE EN	IFORCEMENT		
Date facility refe	erred to: USEP	A: IA	GO:	County State's	Attorney:
		ACTIVE ENFOR	CEMENT ORD	ERS	
CACO:		CAFO:	· ·	Federal Court O	rder:
Consent Decree	· · · · · · · · · · · · · · · · · · ·	IPCB Order:	Z. =	State Court Orde	

RELEASABLE JUN 0 1 2005

REVIEWER MD

TSD FACILITY ACTIVITY SUMMARY Activity by Being done On Annual Report: Process On Part On Part Activity ---during **Exempt per** Code A? **B**? ever Closed? inspection? 35 IAC Sec: 2004 2003 2002 done? X S01 冈 X **X**.. X Ø \$02 X X Ø · 🗵 Ø Ø Ø T01 X X X  $\boxtimes$ Ø  $\boxtimes$ X T04 X X  $\boxtimes$ × ~·-- 🛛  $\boxtimes$ X D80 M X X Ø Ō É П П П .".''  $\Box$ OWNER OPERATOR

		MAINEL			Or Or	EKATOK
Name:	. Illinois Inten	national Port Dis	strict	Name:	Clean Hart	oors Services, Inc.
Address:	3600 E. 95t	h Street	27	Address:	11800 S. S	Stony Island Ave.
City:	Chicago			City:	Chicago	
State:	Illinois	Zip Code:	60617	State:	Illinoos	Zip Code: 60617
Phone #:	(773) 646-4	400		Phone #:	(773) 646-	6202

PERSON(S) INTERVIEWED	TITLE	PHONE #
James Laubsted	Facility Compliance Manager MAY 2 6 2005	(773) 646-6202
	IEPA/BOL	
	and part	
		-

INSPECTION PARTICIPANTS	AGENCY/BUREAU	PHONE #
Calvin Harris *	IEPA/BOL	(847) 294-4080
Charlene Thigpen	IEPA/BOL:	(847) 294-4122
	A. A	
	5,	

<sup>\*</sup>Report prepared by this person.

#### NARRATIVE Prepared by Calvin Harris

MAY Z 6 2005

IEPA/BOL

On May 13, 2005, I conducted a Compliance Evaluation Inspection at Clean Harbors Services, Inc. The purpose of this inspection was to assess this site's compliance status regarding their Permit, Regulations and provisions of the Environmental Protection Act. This site is permitted to store, fuel blend, consolidate and transfer containerized hazardous and non-hazardous waste. In addition, they are permitted to treat aqueous based wastes. They are also regulated as a large quantity generator of hazardous waste.

Clean Harbors Services, Inc., has operated, as a permitted waste management facility since the 1990's. Former operators of this site include Chemical Waste Management, SCA, ChemClear and Hyon.

I interviewed James Laubsted, Facility Compliance Manager for the site. IEPA inspector Charlene Thigpen was also present.

#### **HAZARDOUS WASTE:**

Hazardous Waste Fuel is generated from off-site customers and is sent to Essroc Materials, Inc., located in Logansport, Indiana for treatment. Approximately 60, 000 gallons are generated per month and some 30,000 gallons were on site during the inspection. The waste is maintained in tanks. Hazardous waste codes associated with this waste include D001, D002 and various other codes. This waste was last analyzed on May 12, 2005 and last shipped on May 12, 2005. 5200 gallons were shipped on this date.

Environmentally Hazardous Substance, Solid is generated from off-site customers and is sent to Clean Harbors Canada, Inc., Corunna, Ontario for treatment. Quantities of this waste vary per month; none was on site during the inspection in drums. Hazardous waste codes associated with this waste include F037 and others. This waste was last analyzed on May 11, 2005 and last shipped May 11, 2005. 26,900 pounds of this waste were shipped on this date.

<u>Lean Water, 10% Organic</u> is generated from on-site line washings and off-site clients. Some 40, 000 gallons are generated per month; approximately 15, 000 gallons were on site during the inspection in tanks. This waste is sent to Clean Harbors of Baltimore, Inc., in Baltimore, Maryland. The last shipment to this facility was April 18, 2005; it was

RELEASABLE
JUN 0 1 2005
REVIEWER MD



last analyzed on April 18, 2005. 25,035 gallons were shipped by rail on this date.

Spent Carbon is generated from air pollution control devices associated with flammable storage tanks. The rate of generation varies based on the particular chemicals filtered, as well as, general prevalent environmental conditions. The devices are continuously monitored on site; when deemed unusable, they are sent to Envirotrol, Inc., in Darlington, Pennsylvania for reactivation. 10,000 pounds were on site during the inspection. The last shipping date was November 17, 2004. Some 5,000 pounds of this waste were shipped. Waste codes associated with this waste include D001, D018, and others.

<u>Waste Batteries</u> are generated from labpack/depack operations. Less than 50 gallons of batteries are generated per month; less than (1) 55-gallon drum of batteries was on site during the inspection. Waste batteries are sent to Nova Lead, Inc., in Quebec, Canada. Waste code includes D011; waste batteries were last shipped on May 3, 2005. (20) 55-gallon containers were shipped on this date.

Waste Batteries, as universal waste are generated from labpack/depack operations at of about 100 gallons per month. Less than (1) 55-gallon drum of batteries were on site during the inspection. These batteries are shipped to Nova Lead, Inc., in Quebec, Canada. Last shipment took place on May 3, 2005. (18) 55-gallon drums were shipped on this date.

Waste Phosphorous Powder containing elemental mercury is generated from a fluorescent bulb crushing system. Approximately (2) 55-gallon drums of this waste is generated per month. There were (4) 55-gallons drums of this waste on site during the inspection. The last shipment took place on April 6, 2005 to Mercury Waste Solutions in Union Grove, Wisconsin.

#### **NON-HAZARDOUS WASTE:**

Wastewater Filter Press Sludge is generated from wastewater treatment process involving metal sulfides and metal hydroxides. Approximately 20 cubic yards are generated per day. Some 44 cubic yards were on site during the inspection. This waste is sent to Liberty Landfill in Monticello, Indiana for disposal. This waste is analyzed prior to shipment; last shipment was May 10, 2005. 19 cubic yards of waste sludge was shipped on this date.

<u>Used Oil</u> is generated from wastewater treatment process. Some 5000 gallons are generated per week; about 10,000 gallons were on site during the inspection. This waste is sent to Jacobus Environmental Services in Madison, Wisconsin for disposal. Analysis

of this waste is conducted per load prior to shipment. The last shipment took place on March 17, 2005. 7,000 gallons of waste oil were shipped on this date.

Empty Drums are generated from waste removal of drums. These drums are sent to Liberty Landfill in Monticello, Indiana for disposal. Approximately 40 drums are generated per month; some 25 cubic yards of drums were on site during the inspection. The last shipment took place on March 31, 2005. Approximately 12 tons of empty drums were shipped on this date.

The following were among the units observed during the inspection:

#### Waste Storage Areas, Drums

Outside Storage Area (Unit R1) contains 3, 5.1, 6.1 Reactives

Labpack Pour-off Area (Unit F1)

Drum Storage Area Expansion (Unit R2) contains 5.1, 6.1, Reactives

Drum Storage Area (Unit G1) contains acid, alkaline

Container Storage Area Building (Unit 25) contains acid, alkaline PCB, 6.1

Ignitable Container Management Building (Unit 26)

Container Handling Dock (Unit 61)

Solids

Bulk Container Storage Area with roll-off boxes (Unit Q1)

Bulk Solids Storage Pad (Unit B)

Transporter Storage/Staging

Unit Q, Unit V, Unit C, Unit 59, Unit 15, Unit 62, Unit 13

#### Flammable Storage Tank Farm

#### Unit 16

Hazardous waste fuel tanks: TK-103, 104, 105, 106, 109

pH waters, lean waters, hazardous fuel storage tank: TK-112

Mild acidic waters, lcan waters, hazardous waste fuel tank: TK-101

Hazardous waste fuel & PCB storage tanks; TK-102, TK-110

Wastewater treatment unit

#### Notes and Observations:

Tank 109 has been taken out of service because its service life threshold had been reached.

Fluorescent bulb system appeared to operate in accordance with Temporary Authorization Log No. #16-TA-6, dated December 16, 2004. This authorization terminates 180 days from this date.

No apparent violations were observed or cited.

cc: Region File



2

:

### HAZARDOUS WASTE DISPOSITION FORM



Facility Name: Clean Harbors Services, Inc. USEPA ID #: JLD000608471 5/13/05 Inspection Date: IEPA ID #: 0316000051 On Part On Annual Report Last USEPA **Waste Name** Generating Last On A? for Years: Amount Disposition Gener-Mani-Process **Analysis** HW# Notif.? (3510-3 On-Site fest ation Date (8700-Rate Date 2003 2004 2002 8700-231 12) 5/12/05 Hazardous Off-site D001. 30,000 60.000 5/12/0 Essroc Materials.  $\boxtimes$ Waste Fuel D002. X X  $\times$  $\boxtimes$ customers gal/mo. 5 Inc., Logansport, gal. various others Env. Hazardous Off-site 5/11/05 F037, Clean Harbors 5/11/0 None Varies X X X  $\boxtimes$ X Substances. customers various 5 Canada, Inc., Solid others Corunna, Ontario Lean Water, Off-site 4/18/05 F003. 15,000 40,000 4/18/0 Clean Harbors of X  $\boxtimes$ X Ø X 10% Organic customers. various Baltimore. gal. 5 gal/mo. on-site line others Baltimore, Md. washings Spent Carbon Air pollution D001. Gen. 10,000 5/17/0 Envirotrol, Inc., Varies Knowled M Ø Ø  $\boxtimes$ D018. devices  $\boxtimes$ lbs 5 Darlington, Pa. associated various ae with others flammable liquid tank system emmissions 3/05 D009 Waste Fluorescent 220 gal. 110 4/6/05 Mercury Waste X X **Phosphorous** bulb crushing Solution, Union gal/mo. operation Grove, Wi. D006, Waste Batteries labpack/depac Gen. <55 gal. <55 Nova Lead, Inc. 5/5/05 X 冈 k operations knowledg D011.  $\boxtimes$ Ø  $\boxtimes$ gal/mo. Quebec, Canada others 

# SPECIAL WASTE DISPOSITION FORM

Facility Name:	Clean Harbors Services, Inc					USEPA ID #: ILD000608471
Inspection Date:	5/13/05					IEPA ID #: 0316000051
Waste Name	Generating Process	Last Analysis Date	Amount On-Site	Gener- ation Rate	Last Manifest Date	Disposition
Universal Waste Batteries	labpack/depack operations	Gen. knowledg e	<55 gal.	~100 gal/mo.	5/5/05	Nova Lead, Inc., Quebec, Canada
Wastewater Fifter Press Sludge	On site wastewater treatment process	5/10/05	44 cubic yards	~20 cubic yards/day	5/10/05	Liberty LF, Monticello, In.
Used Oil	On site wastewater treatment	3/17/05	10, 000 gal,	5, 000 gal/week	3/17/05	Jacobus Environmental Services, Madison, Wi.
Empty Drums	Waste removal from drums	Gen. knowledg e	25 cubic yards	40/ma.	3/31/05	Liberty LF, Monticello, In.
-	,					
	,		×			
			,			

The appearance of some of the images


following this page is due to

**Poor Quality Original Documents** 

and not the scanning or filming processes.

Com Microfilm Company (217) 525-5860

J:\toolbox\poorDocs.doc



03/6000051-Cook County. Chicago/Clean Harbors services, for 5/13/05 Not to Scale O Proto taken + Direction

#### **LEGEND**

- 13. RAIL CAR UNLOADING A
- 15. TRUCK UNLOADING PLAT 16. FLAMMABLE STURAGE TO 4439, 150 CPM DELIENT


- 18. PIPE RACKS
  22. FLAMMABLE TANK FARM
  23. SHREDDING PROCESS CC
  24. SHREDDING PROCESS BL
  25. CONTAINER MANAGEMEN
  28. KONTABLE CONTAINER M
- 29. KANTIABLE CONTAINER IN 27. STORM WATER LIFT STAT 28. NITROGEN STURACE ARE 29. LITELTY BUR DING 30. FUEL OIL STORAGE 40. DECONTAINNATION BURL 42. SHREDONG PROCESS BI 43. FUELS BLENDING OPERA 59. TRUCK STAGING AREA ( 60. ROLL—OFF PAD FOR FUI 41. CONTAINER HANDING.

- 61. CONTAINER HANDLING D
- 82 TRUCK PAD (SEE CHO
- 64, FOAM WATER VALVE HC 65, FOAM WATER VALVE HC 66, FOAM WATER VALVE HC 67, PROPOSED TRACK LOAG
- B& METAL WASH PROCESS
- 89. TRUCK/ROLL-OFF PAD 70. FORKLIFT ACCESS AREA

#### NOTES:



HOYER-SCHLESINGER-TURNE COMMENTATION - PROPERTY OF



#### **LEGEND**

- Existing Tank Form (See CHCl Dag. No. 4214)
- Existing Truck Unloading Area & Bulking Area (See CHCl Dwg. No. 4210 Sheet 1 of 3)
- Existing Drum Storage Area (See CHC Dwg. No. 4210 Sheet 1 of 3)
- Existing Drum Storage Area (See CHO Dwg. No. 4210 Sheet 1 Of 3)
- Existing Non-Hazardoux Bulking Area (See CHCI Dwg. No. 4274)
- Existing Truck Looding Dack (See CHS) Dwg. No. 4234)

109 Sheet 3 of 2)

0316000051-Cook County Chicago/ Clean Hurbors Services, (nc.

fos as Not to scale

Or Photo taken + direction


Page 20/2

REDUCED DO NOT SCA




Illinois Environmental Protection Agency Bureau of Land Division of Land Pollution Control LPC # 0316000051— Cook County. Chicago/Clean Harbors Services, Inc., FOS File

#### **DIGITAL PHOTOGRAPHS**



Date: 5/13/05
Time: 8:17 AM-11:52 AM
Direction: Northeast
Photo by: C. Harris
Exposure #: 001
Comments: View of
carbon based pollution
control devices near
flammable storage tanks.



Date: 5/13/05

Time: 8:17 AM-11:52 AM

Direction: N/A
Photo by: C. Harris
Exposure #: 002

Comments: Fluorescent bulb crushing system.



Illinois Environmental Protection Agency
Bureau of Land
Division of Land Pollution Control

LPC # 0316000051 —Cook County Chicago /Clean Harbors Services, Inc. FOS File

Date: 5/13/05

#### **DIGITAL PHOTOGRAPHS**



Time: 8:17 AM-11:52 AM Direction: N/A Photo by: C. Harris Exposure #: 003

Comments: View of Used oil tanks near wastewater treatment operation.

NO PHOTOGRAPH

# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

#### BUREAU OF LAND / FIELD OPERATIONS SECTION **RCRA** INSPECTION REPORT

	GENERAL FAC	CILITY INFORM	ATION	
USEPA ID #: TLDOO	2608471		IEPA ID #:	03/600005/
Facility Name: CLEAN				Phone #:773/646-62
Location: 11800 S	STONY I	SLAND		County: Cook
City: CHICAGO	•	State:	IL	Zip Code: 60617
Region: DES RAI	NES	nspection Date:	11/30/00	Time: 9:00 -12:00
Weather: CLEAR	APPROX. 15	o F		
x 1 6 x - 2 x - 2 x	Түре	OF FACILITY	•	
Notified As: G.T. S		Regulated As:	G. T.S	
	Түре о	F INSPECTION		
CEI: CME/O&M:	CSI: NRR: C	CI: PIF:	CVI: C	SE: CAO:
FUI to: Oth	er:	,		
- /10	NOTIFICATION INFO	PRMATION (EP	A 8700-12)	
Notification Date: 7/29/	89 (initial)			(subsequent)
PART A	PERMIT INFORMATIO	N (EPA 3510-	-3 or <b>EPA 870</b>	0-23)
Part A Date: 4/3/82	Amended			Withdrawn:
	PART B PER	MIT INFORMAT		
(check one if applicable) Appli	cation Submitted?	Permit Issued	in YES	Date: 10/24/94
	ACTIVE I	Enforcement	NA	
Date facility was referred to:	USEPA:	IAGO:	County St	ate's Attorney:
	ACTIVE ENFO	RCEMENT ORI	DERS NA	
CACO:	CAFO:		Federal Co	ourt Order:
Consent Decree:	IPCB Order:		State Cour	t Order:
	RECEIVE	D		y .
IL 532-1834 LPC 334 (9/1999)	MAR 1420 IEPA-DL	001 PC RCRACVR2	.WPD 9/1 <b>6/199</b> 9	RCRA Cover Sheet, Page 1

# TSD FACILITY ACTIVITY SUMMARY

Activity by Process Code	On Part A?	On Part B?	Activity ever done?	Closed?	Being done during inspi	Exempt per 35 IAC Sec:	On Annual Report: 99 98 97
S01	YES	YES	YES	NO	YES	NA	YES YES YES
T01	V		1	1	1		
- 121	•		-	4		7	7 7
						, ,	

OWNER

#### **OPERATOR**

Name: CLEAN HARBORS	Name: CLEAN HARBORS
Address: 1200 CROWN COLDNY	Address: 11800 S. STONY ISLAND
City: DUINCY	City: CHICAGO
State: MAGS Zip Code: 22269	State: IL. Zip Code: 606 17
Phone #: 617/849 - 1800	Phone #: 773/646-6202

PERSON(S) INTERVIEWED	TITLE	PHONE #
James LAUBSTEAD	Compliance MANAGER	173/646-6202
	**	

INSPECTION PARTICIPANTS	AGENCY/BUI	REAU	PHONE #		
K AARON TAYLOR	TEPA	LAND		847 294-4069	
			RECERT		
	1 14 2001 1EPA DIE			01	

Report prepared by this person.

0316000051 / Cook County Chicago / Clean Harbors Environmental Services ILD000608471 November 30, 2000

> Narrative Prepared By Aaron Taylor

Clean Harbors of Chicago (CHCI) current activities include the storage and treatment of aqueous based waste streams, fuel blending and the storage, consolidation, and transfer of containerized hazardous and nonhazardous wastes, including lab packs.

CHCI treats aqueous based hazardous and nonhazardous waste streams in a RCRA exempt wastewater treatment system. Primary treatment consists of chemical precipitation, coagulation, and filtration of inorganic wastestreams. Treatment residuals (sludges) generated from this process are stabilized and shipped off site for disposal. Treated effluent is discharged under permit to the MWRD POTW system. Some waste streams require pretreatment prior to primary treatment. Pretreatment methods include neutralization, oil separation, chemical oxidation and reduction, ammonia stripping, chelation breaking, and organic removal techniques such as air stripping and carbon adsorption.

CHCI receives and processes hazardous waste which maybe burned for energy recovery as hazardous waste fuel. The types of waste processed by the facility in this process are non-halogenated organics; high BTU lean waters; non-halogenated oils; organic liquids with halogens; and halogenated multiplayer organics. These materials are received on site in solid, semi-solid, and liquid form. The materials are mixed and blended into hazardous waste fuel which is shipped off site in containers or pumped directly into bulk transport vehicles.

CHCI receives and processes hazardous wastes which are not amenable to treatment on site. These wastes are accepted for storage and subsequent transfer to an offsite treatment and/or disposal facility. The wastes are received in bulk tankers; roll off boxes, 55-gallon drums, and lab packs. They are reshipped in their original container or consolidated, bulked, and repackaged and shipped off site for treatment or disposal.

RECEIVED
MAR 1 4 2001
LEPA-DLPC

#### The Hazardous Wastes generated by Clean Harbors are as follows:

Waste Flammable Liquid EPA HW Codes F001, F002, F003, numerous waste codes generated as lean water from off site customers for consolidation of drums and bulk loads, which are shipped off site for treatment at the Clean Harbors, Baltimore MD facility for treatment and discharge to the local POTW. This waste is generated at the rate of approximately 25,000 gallons per month and is stored in tanks. The last manifested shipment was November 29, 2000. At the time of inspection there was none of this waste on site. The waste is analyzed prior to shipment off site.

Waste flammable liquid EPA HW codes D001, D035, U359, numerous waste codes generated from off site customers at the rate of 10, 000 gallons / day. The waste is fuel blended and shipped to Essroc Materials of Logansport, Ind for use as cement kiln fuel. The last date of analysis and off site shipment was November 29, 2000. The waste is accumulated and stored in tanks. At the time of inspection there were approximately 1,000 gallons of this waste on site.

Waste flammable solids EPA HW codes F001, F002, F003, F004, F005, D001, numerous waste codes generated from off site customers at the rate of 20 cubic yards bimonthly. The waste is shipped to clean Harbors of Kimball, Nebraska for incineration. The last of analysis and off site shipment was November 20, 2000. At the time of inspection, there were 20 cubic yards of this waste on site. The waste is stored in containers.



Hazardous waste solids EPA HW codes D003, D004, D005, and D006, numerous waste codes generated from off site customers at the rate of 25yds<sup>3</sup> per month. The waste is shipped to Michigan Disposal of Bellville, Michigan for stabilization and landfilling.

Waste flammable solids EPA HW codes F002, F003, F004, numerous waste codes generated as filters from the on site carbons adsorption unit the rate of generation varies with usage. The waste is in process unit the filters are removed and shipped to the Envirotrol for regeneration.

#### Nonhazardous Wastes generated by Clean Harbors are as follows:

Metal hydroxide sludge generated from the wastewater treatment plant at the rate of 25 cubic yards per day. The last date of analysis and off site shipment was November 29, 2000. The waste is accumulated in containers. The waste is shipped to Laraway Landfill in Elwood, IL. for disposal. At the time of inspection, there was none of this waste on site.

Oil generated from oily wastewater separation at the rate of 5,000 gallons / biweekly. The waste is shipped to Safety Kleen, East Chicago Indiana for recycling. The last date of analysis and off site shipment was November 28, 2000. The waste is accumulated in containers. At the time of inspection, there were 5,000 gallons of this waste on site.

RCRA empty crushed drums generated from the fuel blending process at the rate of 30 cubic yards per day. The waste is shipped to CWM/CID for disposal. The last manifested off site shipment was November 30, 2000. There was none of this waste on site, at the time of inspection.

#### Hazardous Waste Storage Units are described below:

The S01 units are permitted to receive all of the waste codes listed in attachment A of the Part B permit. The S01 units all have diked, coated concrete for secondary containment and the following storage capacities:

Outside Container Storage Area (Unit R1)

### Is divided into the following Bays:

Staging Area Flammable Storage Are	ea #1	80	drums 160 drums
Flammable Storage Are			160 drums
Oxidizers Storage	#1	96	drums
Reactive Storage	#1	96	drums
Poisons Storage	#1	96	drums
Lab Pack Pour Off Area	a (Unit F1)	8	drums
Bulk Container Storage	e Area (Unit Q1)	90 (	cubic yards
Truck Unloading Area and Bulking Area (Unit Q)			600 gallons

Container Storage Building (Unit 25) is divided into the following bays:

Alkaline / Poisons	336 drums
Acids	288 drums
PCBs / Poisons	128 drums

Ignitable Container Management Building (Unit 26)	192 drums
Container Handling Dock (Unit 61)	160 drums
Bulk Solids Storage (Unit B) boxes	6 roll offs
Truck Staging Area (Unit C)	6 trucks
Truck Staging Area (Unit 59)	3 trucks
Truck Unloading Platform (Unit 15)	2 trucks
Rail Car Unloading Area (Unit 14)	60, 000 gallons

RECEIVED
MAR 1 4 2001
EPA-DLPC

The following S02 units are permitted to accept all of the Hazardous Waste Codes listed in attachment A of the Part B permit. The S02 units have coated concrete vaults for secondary containment and have the following capacities:

Hazardous Waste Fuel Blending Operation (Unit 43)

Tank 183 is comprised of the following unit:

Tank Number 161-21	1,225 gallons
Tank Number 161-22	275 gallons
Flammable Storage Tank Farm (Unit 16) Tank Number 158 is comprised of the following five units: TK-103, TK-104, TK -105, TK-106 and TK-109	12, 800 gallons
Tank 159 is comprised of the following unit: TK-112	19, 600 gallons

Tank 177 is comprised of the following units:
TK-101 and TK-107

12, 800 gallons

Tank 180 is comprised of the following units:
TK-102
12, 800 gallons

12, 800 gallons


#### Notes and Observations:

Clean Harbors has obtained permission to from the USEPA to dismantle the old CWM incinerator. Clean Harbors Part B permit has been modified to allow for the construction of a drum shredder for the fuel blending operation and to install units for processing waste paint and waste paint related products in Building 42. Clean Harbors permit allowed for the use of a portable shredder at the site, however this equipment was not used frequently, so it was shipped to the Clean Harbors facility in Kimball, Neb.

Clean Harbors current waste reduction strategy is to bulk similar solid and liquid waste, segregate hazardous and nonhazardous wastes, and more efficient packaging of smaller containers.

List of Violations:

At the time of inspection no apparent violations were observed.





#### **LEGEND**:

- A. South Laboratory
- B. Inorganic Treatment Pits
- C. Truck Storage Pads
- D. Truck Scale
- E. Truck Entrance/Security
- F. Logistics Office/Receiving
- G. Tank Farm
- H. Lab Pack Drum Storage
- I. Fuels Blending
- J. Flammable Drum Storage
- K. Receiving Dock/Truck Pad
- L. Truck Storage Pad
- M. Control Room
- N. North Laboratory
- O. Training Personnel Building
- P. Maintenance
- Q. Administration Building
- R. Rail Spur
- S. Pump House
- T. In-bound Receiving
- U. Out-bound
- Primary Assemble Point
- ☑ Secondary Assemble Point

1

### ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

a ≈\_g

# BUREAU OF LAND/FIELD OPERATIONS SECTION RCRA INSPECTION REPORT

<b>GENERA</b>	$\mathbf{L}$ I	FA	${f CIL}$	ITY	INF	OR	M	A	TI	0	N	I

		GENER	AL FACIL	IT I HALOR	WIATION		
USEPA ID #:	TLD OOC	260847	71		IEPA ID #: O	316000	0051
Facility Name:	CLEAN	HARBORS	5			Phone #: 7	173/646-620
Location:	11800	S. STON	Y ISLA	GW.F		County:	COOK
City: C	HICAGO	1-		State: _	TL	Zip Code:	60617
Region:	MAYWO	OD	Inspection Date:	3,30,99	7	Time: G	11:30 H
Weather:	CLEAR	SUNNY	APPRO	ox. 50°	F		
			TYPE OF	<b>FACILITY</b>			
Notified As: Q	1, T.S				Regulated As:	G. T.S	
	, ,	7	TYPE OF IN	SPECTIO	N		
CEI: CME/C	D&M:CSI:_	NRR: F/U t	o:/_/	CCI: PIF:	CVI: CSE	CAO: 0	ther:
	N	OTIFICATI	ON INFOR	MATION (	EPA 8700-1	2)	
Notification Date	e: 1 12918	9 (initial)				2 1141	92 (subsequent)
	P.	ART A PER	MIT INFO	RMATION	(EPA 3510-	3) pp	
Part A Date:	1 1		Amended:	11		Withdraw	ا اسمنو
		PART	B PERMIT	INFORMA	ATION	APH 21	
Part B Submitted	Issued (circle or	ne): 1012419	94			TOTA .	₩ <sub>0</sub>
		A	CTIVE ENF	ORCEME	NT NA	0[	Po
Has the company	been referred to	: USEPA:	/ / IA	.GO: / /	County St	ate's Attorney:	/ /
		ACTIV	E ENFORC	EMENT O	RDERS NA	4	
CACO: /	1		CAFO: /	1	Fe	deral Court Orde	er: / /
Consent Decree:			IPCB Order:	1 1	Sta	te Court Order:	/ /
	,	TSD FACI	LITY AC'	TIVITY S	UMMARY	7	
Activity by			Activity ever		Being done	Exempt per	On Annual
Process Code	On Part A?	On Part B?	done?	Closed?	during insp?	35 IAC Sec:	Report 1998 1997 1994
501	1/=-	Vec	YES	NA	1/		
502	YES 1	YES	152	NO	YES	NA	YESI YESI YES
TO		-					<del>                                     </del>
TO 1			<del></del>				<del>                                     </del>
TO 4	<b>V</b>	V	$\checkmark$	V		V	14/4/11

, 5 , e :	, ,											
		OWN	ER			OPERATOR						
Name: C	LEAN HARBOR	'S			Name:	CLEA	N HARBORS					
	1200 CROW		ONY		Address	: 1180	OS. STONY ISO	AND				
City.					City:	CHIC						
State:	QUINCY MA,	2	Zip Code: 🗳	2269	State:	IL	Zip Code: 606	17				
Phone #:	617/849-	-1800	)		Phone #	: 17:	3/646-62	02				
PERSON	N(S) INTERVIEW	ED		TITLE			PHONE #					
JIM	LAUBSTEAT			COMPLIANC	E MAN	IAGER	713/646-0	6200				
INSPEC"	TION PARTICIP	ANT(S)		AGENCY/DIVISI	ON		PHONE #					
HARO,	,			TEPA / FO.			108/338-192	/				
DDEDA	PED DV			A CENCY/DW/C	· ON		DYONE #					
PREPAR		_		AGENCY/DIVISI			PHONE #	001				
HARO			RY OF	APPARENT		LATIO	<i>708   338-7</i>  NS	72/				
AREA	SECTION	X	AREA	SECTION	X	AREA	SECTION	X				
	**				$\perp$							
					$\perp$							
							v					
		17										

USEPA#: IL DOOGE 8471

# WASTE DISPOSITION FORM



IEPA#: 0316000051						FORM						
TEPA#.				Water /	<u> </u>		cr	On A Repor (Circle if oss out if no	present; ot present)		ger /	A Stiffeed
Hotel To the Hotel		The of Last		*On foo		/	f /	f	Aground	- Rate of Control		Disposition BOR
WASTE Solids	Bulking Process	EACH SHIPMENT	DOO! FOOZ NUMERO	451		G F	G F	G / F	NONE	40 yd 3	3/19/99	CLEANHABORS KIMBAL NEB. INCINERATION
HAZ. WASTE SOLID	SPENT FITERS FROM CARBON Adsorption UNIT		FOO ( Numera	s		G /F	G F	G / / F	PROCES	, VARIES	2/25/99	ENUIROTROL REGENERATION
WASTE FLAM LIQUID	NA		Fool Numerou	s		G F	G F	G F	2,000 9AG	VARIES	111	CLEAN HARBORS BALT. TREATME
WASTE FLAM	FUEL TELENDING	1	DOO! FOOZ NUMERO	us		G /	G F	G F	20,000 EAL	15,000 901/00	3/26/99	Systech Environmental
						G F	G F	G /		,		CEMENT KILD FUEL.
NON HAZAF	edous Was	TE				G F	G /	G /			10	
Sludge	WW TREATMENT	EACH SHIPMEN	NA			G / F	G F	G F	IROLL OFF BOX	274d3 DAY	3/29/99	COUNTY ENVIRONMENTAL LF
RCRA EMPTY CRUSHED DRUG	FUEL BLENDINB		NA			G F	G F	G F		25yd3	3/29/99	1
USED OIL	OIL WATER SEPARATOR	1,18	NA			G F	G F	G F	IN Process	15,000 gal MO		SAFETY KLEEN E.CHI. TAUD
			2			G F	G F	G /				RECYCLING

ILD000608471 Narrative Prepared by Aaron Taylor



Clean Harbors current activities include the storage and treatment of aqueous-based waste streams in an on site waste water treatment system, the storage, consolidation and transfer of containerized hazardous and nonhazardous waste including lab packs, and the blending of hazardous waste fuels for use in cement kilns.

Hazardous Wastes generated by Clean Harbors are as follows:

Waste Flammable Solids EPA H.W. codes D001, F002, F005, numerous waste codes generated form the bulking of hazardous waste solids at the rate of approximately 40 cubic yards per month. The waste is stored in containers and is shipped to the Clean Harbors Kimbal, Neb. facility for incineration. The last manifested shipment was on 3/19/99 and at the time of inspection there was none of this waste on site.

Hazardous Waste Solid EPA H.W. code F001, numerous waste codes generated as spent carbon filters from the carbon adsorption units. The waste is in process and is shipped to Envirotrol of Sewickley, PA for regeneration. The last manifest shipment was on 2/25/99.

Waste Flammable Liquid EPA H.W. code F001, numerous waste codes, generated as lean water from off site customers the of generation varies and the waste is stored in containers. The waste is shipped to Clean Harbors Baltimore facility for treatment. The last manifested shipment was 3/24/99. There are 2, 000 gallons of this waste on site.

Waste Flammable Liquid EPA H.W. codes D001, F001, numerous waste codes generated as hazardous waste fuel from the fuel blending process at the rate of 15, 000 gallons per working day. The waste is stored in tanks and is shipped to Systech Environmental Cement Kiln Pauling OH for use as cement kiln fuel. There are 20, 000 gallons of this waste on site.

Nonhazardous wastes generated by Clean Harbors are as follows:

Metal Sludge generated from the wastewater treatment system at the rate of 27 cubic yards per day. The waste is stored in containers and is shipped to County Environmental Landfill in Pontiac, IL. for disposal.

RCRA Empty Crushed Drums generated from the fuel blending process at the rate of 25 cubic yards per day. The waste is shipped to County Environmental Landfill.

Used Oil generated from the oil water separator at the rate 15, 000 gallons per month the waste is shipped to Safety Kleen of East Chicago, Ind. for recycling.

Hazardous Waste Storage Units are described below:

The S01 units are permitted to receive all of the waste codes listed in attachment A of the Part B permit. The S01 units all have diked, coated concrete for secondary containment and the following storage capacities:

Outside Container Storage Area (Unit R1)

#### Is divided into the following Bays:

Staging Area 80	drums
Flammable Storage Area #1	drums
Flammable Storage Area #2	drums
Oxidizers Storage #1 96	drums
Reactives Storage #1 96	drums
Poisons Storage #1 96	drums

Lab Pack Pour Off Area (Unit F1) 8 drums

Bulk Container Storage Area (Unit Q1) 90 cubic yards

Truck Unloading Area and Bulking Area (Unit Q) 21, 600 gallons

Container Storage Building (Unit 25) is divided into the following bays:

Alkaline / Poisons	336 drums
Acids	288 drums
PCBs / Poisons	128 drums

Ignitable Container Management Building (Unit 26)	192 drums
Container Handling Dock (Unit 61)	160 drums
Bulk Solids Storage (Unit B)	6 roll off boxes
Truck Staging Area ( Unit C )	6 trucks
Truck Staging Area (Unit 59)	3 trucks
Truck Unloading Platform (Unit 15)	2 trucks
Rail Car Unloading Area (Unit 14)	60, 000 gallons
	~

The following S02 units are permitted to accept all of the Hazardous Waste Codes listed in

attachment A of the Part B permit. The S02 units have coated concrete va containment and have the following capacities:	ults for secondary
Hazardous Waste Fuel Blending Operation (Unit 43) Tank Number 161-21 Tank Number 161-22	1,225 gallons 275 gallons
Flammable Storage Tank Farm (Unit 16) Tank Number 158 is comprised of the following five units: TK-103, TK-104, TK -105, TK-106 and TK-109	12, 800 gallons
Tank 159 is comprised of the following unit: TK-112	19, 600 gallons
Tank 177 is comprised of the following units: TK-101 and TK-107	12, 800 gallons
Tank 180 is comprised of the following units: TK-102	12, 800 gallons
Tank 183 is comprised of the following unit:	12, 800 gallons

Notes and Observations:

Clean Harbors is still awaiting USEPA approval to dismantle the old CWM incinerator. Clean Harbors current waste reduction strategy is to bulk similar solid and liquid waste, segregate hazardous and non hazardous wastes, and more efficient packaging of smaller containers.

List of Violations:

At the time of inspection no apparent violations were observed.

RCRA Empty Crushed Drums generated from the fuel blending process at the rate of 25 cubic yards per day. The waste is shipped to County Environmental Landfill.

Used Oil generated from the oil water separator at the rate 15, 000 gallons per month the waste is shipped to Safety Kleen of East Chicago, Ind. for recycling.

Hazardous Waste Storage Units are described below:

The S01 units are permitted to receive all of the waste codes listed in attachment A of the Part B permit. The S01 units all have diked, coated concrete for secondary containment and the following storage capacities:

Outside Container Storage Area (Unit R1)

#### Is divided into the following Bays:

Staging Area		80	drums
Flammable Storage Area	a #1	160	drums
Flammable Storage Area	a #2	160	drums
Oxidizers Storage	#1	96	drums
Reactives Storage	#1	96	drums
Poisons Storage	#1	96	drums

Lab Pack Pour Off Area (Unit F1) 8 drums

Bulk Container Storage Area (Unit Q1) 90 cubic yards

Truck Unloading Area and Bulking Area (Unit Q) 21, 600 gallons

Container Storage Building (Unit 25) is divided into the following bays:

Alkaline / Poisons 336 drums
Acids 288 drums
PCBs / Poisons 128 drums

Ignitable Container Management Building (Unit 26)	192 drums
Container Handling Dock (Unit 61)	160 drums
Bulk Solids Storage (Unit B)	6 roll off boxes
Truck Staging Area ( Unit C )	6 trucks
Truck Staging Area (Unit 59)	3 trucks
Truck Unloading Platform (Unit 15)	2 trucks
Rail Car Unloading Area (Unit 14)	60, 000 gallons
The following S02 units are permitted to accept all of the Hazardous Was	te Codes listed in

The following S02 units are permitted to accept all of the Hazardous Waste Codes listed in attachment A of the Part B permit. The S02 units have coated concrete vaults for secondary containment and have the following capacities:


containment and have the following capacities.	
Hazardous Waste Fuel Blending Operation (Unit 43) Tank Number 161-21 Tank Number 161-22	1,225 gallons 275 gallons
Flammable Storage Tank Farm (Unit 16) Tank Number 158 is comprised of the following five units: TK-103, TK-104, TK -105, TK-106 and TK-109	12, 800 gallons
Tank 159 is comprised of the following unit: TK-112	19, 600 gallons
Tank 177 is comprised of the following units: TK-101 and TK-107	12, 800 gallons
Tank 180 is comprised of the following units: TK-102	12, 800 gallons
Tank 183 is comprised of the following unit:	12, 800 gallons

Notes and Observations:

Clean Harbors is still awaiting USEPA approval to dismantle the old CWM incinerator. Clean Harbors current waste reduction strategy is to bulk similar solid and liquid waste, segregate hazardous and non hazardous wastes, and more efficient packaging of smaller containers.

List of Violations:

At the time of inspection no apparent violations were observed.



# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

# BUREAU OF LAND/FIELD OPERATIONS SECTION RCRA INSPECTION REPORT

		GENE	RAL FACIL	ITY INFOR	RMATION			
USEPA ID #: ILD 000608471					IEPA ID #:03/600005/			
Facility Name:	Clean Ha	rbors Se	ervices,	Inc.		Phone #: "	73/146-1202	
Location:	,	. Stony				County:	OOK	
City:	hicago			State: I	Vinois	Zip Code	6617	
Region:	MAYWOOD		Inspection Date:	02126199	(P)	Time: //	15 VAE V2:45	
Weather:	Cloudy	4505				MAR	2.9 1000	
,			TYPE OF	<b>FACILITY</b>		IEPA.	1399	
Notified As:	S.T.S				Regulated As:	1 - 1	JUPU	
	•		TYPE OF I	NSPECTIO	N		,	
CEI: CME/	D&M): CSI:	NRR: F/U	to: / /	CCI: PIF:	CVI: CSE	:CAO:C	Other:	
	N	OTIFICAT	ION INFOR	RMATION	EPA 8700-1	.2)		
Notification Date	e: 08/18/80	(initial)				1 1	(subsequent)	
	P	ART A PE	RMIT INFO	RMATION	(EPA 3510-	-3)		
Part A Date:	8118180		Amended:	31/2/92		Withdraw	mAVA / /	
		PART	B PERMIT	INFORM	ATION			
Part B Submitted	Issued circle on	ne): 09 (3/X	23					
		A	CTIVE EN	FORCEME	NT //A			
Has the company	y been referred to	: USEPA:	//IA	.GO: / /	County St	ate's Attorney:	1 1	
	¥	ACTIV	E ENFORC	EMENT O	RDERS			
CACO: / / CAFO: / /					Federal Court Order: / /			
Consent Decree: / / IPCB Order: / / State Court Order: Of Col.						06/02/88		
1	7	TSD FAC	ILITY AC'	TIVITY S	UMMARY	7		
Activity by			Activity ever		Being done	Exempt per	On Annual	
Process Code	On Part A?	On Part B?	done?	Closed?	during insp?	35 IAC Sec:	<b>Report</b> 19 <i>97</i> 19 <i>96</i> 19 <i>9</i>	
501	У	У	У	N	У	Nin	/ / /	
S01 S02	1	1	1	Í	j	///	///	
TOI							/ /	
104				V	V		/ /	
504/083	V	V	V	y	À	V	, V ,	
- 1				/	/	,	/ /	
							/ /	

OWNER					T	O	OPERATOR			
Name: Illinois International Bort 1				District	Name:	Clear Harbons Services, Inc.				
A 3600 East 95 th Stre				Address: 1/8/1			South Stony Island			
City Chicago					City: / h/CAGO					
State: Illinojs Zip Code: 66				06/7-5193		Minnis	Zip Code: 60617			
Phone #:	773/646-4				Phone #: 773/646-6202					
	N(S) INTERVIEW			TITLE			PHONE #			
Jim	Laubsted			FACILITY COMPLEXES PANAGER			773/646-1202			
			é		/- 1 *- ********************************					
INSDEC	CTION PARTICIP	A NIT(S)		AGENCY/DIVIS	ION		PHONE #			
2		AITI(S)				***************************************				
Gin	o Bruni			IEPA/DLF		-	708/338-7900			
							· · · · · · · · · · · · · · · · · · ·			
(7)	RED BY						PHONE #	<del></del>		
Bine				TEPA/DLPC			708/338-790	00		
	SUN	<u>IMAI</u>	RY OF	APPARENT	VIO	LATIO	NS N/A			
AREA	SECTION	X	AREA	SECTION	X	AREA	SECTION	X		
	· •									
	<u> </u>						\ <b>3</b>			
								+		
								+		
		-						-		
		_						$\perp$		
								_		
								+		

0316000051 - Cook County Clean Harbors Services, Inc. ILD00608471 Page 1

#### NARRATIVE Prepared by Gino Bruni



On February 26, 1999, I conducted a O & M inspection at the Clean Harbors Services, Inc. facility located in Chicago, Illinois. I met with James Laubsted (Facility Compliance Manager).

The purpose of this inspection was to determine the facility's compliance with 35 Ill. Adm. Code, Part 724, Subpart F, and the Part B Permit. Specifically, sampling and analysis procedures and the condition of each well in the groundwater monitoring system.

#### PART B PERMIT GROUNDWATER MONITORING WELLS

Upgradient wells: G123S, G307S, G334S, and G343S

Compliance wells: G120S, G121SR, G122S, G124S, and G126S

#### **INACTIVE SURFACE IMPOUNDMENTS**

Clean Harbors assumed ownership and operational control of four inactive surface impoundments which were formerly used to manage process water from an on-site hazardous waste incinerator. The four surface impoundments have been certified closed in accordance with an Agency approved closure plan. The surface impoundments remain a regulated hazardous waste management unit (disposal).


Phase I of the RFI has been completed. The results of the Phase I investigations show that soil concentrations exceed the Tier I objectives, and groundwater contamination exceeding 35 Ill. Adm. Code 620 Class II Standards. This RFI was required under the 1988 Consent Judgement between CWM and USEPA. The IEPA approved the RFI Phase I Report in a letter dated January 31, 1996.

Additional sampling (Phase II/III) was completed and the report was submitted to the Agency in late December 1997. Clean Harbors has not received any information from the Agency regarding the Phase II/III report.

0316000051 - Cook County Clean Harbors Services, Inc. ILD00608471 Page 2

EMT (groundwater sampling contractor) was not sampling the groundwater monitoring wells during this inspection. Samples are collected during the following months: January-February, April-May, July-August, and October-November.

No apparent violations were observed.



LPC-334 (12/89) Page 1

-13 1

0316000051 - Cook County - Cook County Clean Harbors Services, Inc. Services Inc ILD00608471 April 14, 1998 April 14, 1998

#### NARRATIVE

PhaPrepared by Gino Bruni v 1996 was submitted

WITH the January 33, 1996 IRPA letter approving the RFI P

On March 20, 1998, I conducted an O&M inspection at Clean Harbors. The purpose of this inspection was to inspect the operation and a letter maintenance of the facility's groundwater monitoring system. The existing Clean Harbors is located on Pier No. 4 of Lake Calumet in Chicago and is approximately 26.1 acressy The former CWM Chicago Clean Harbors site has been incorporated into the CHCI RCRA Permit. The combined property which is owned by the Illinois International Port Authority is approximately 56.6 acres observed during this inspection

#### INACTIVE SURFACE IMPOUNDMENTS

CHCI assumed ownership and operational control of four inactive surface impoundments which were formerly used to manage process water from an on-site hazardous waste incinerator. The four surface impoundments have been certified closed in accordance with an Agency approved closure plan. The surface impoundments remain a regulated hazardous waste disposal unit throughout the 30 year post-closure period.

#### UPPERMOST AQUIFER

The uppermost aquifer is a heterogeneous mixture of fill materials composed of cement fragments, masonry, rubble, wood, and metal scraps, sludge, cinders and clay. The fill varies in thickness from approximately seven to eighteen feet.

#### PART B PERMIT GROUNDWATER MONITORING WELLS

UPGRADIENT WELLS: G123S, G307S, G334S, AND G343S

COMPLIANCE WELLS: G120S, G121SR, G122S, G124S, AND G126S

Phase I of the RFI has been completed. The results of the Phase I investigations show that: soil concentrations exceed the Tier I objectives, and groundwater contamination exceeding 35 Ill. Adm. Code 620 Class II standards is present at the former CWM-CS portion of the facility. This RFI was required under the 1988 Consent Judgement between CWM-CS and USEPA. The IEPA approved the RFI Phase I Report in a letter dated January 31, 1996.

0316000051 - Cook County Clean Harbors Services, Inc. April 14, 1998 Page 2

RFI Phase II/III Workplan (May 1996) was submitted in accordance with the January 31, 1996 IEPA letter approving the RFI Phase I Report. Additional soil sampling and a groundwater investigation plan are proposed in the Phase II/III Workplanar The IEPA approved the RFI Work Plan with modifications by the IEPA in a letter dated March 6, 1997.

Modification Date: 12/2/95

Groundwater is sampled by EMT and analyzed by Clean Harbors Technical Corp. in Kimball, Nebraska ER MONITORING COMPLIANCE MONITORING

No apparent violations were observed during this inspection COMPLIANCE

		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
ST AND LINE COME SALES AND AND AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDRESS OF THE PART		Sur Services and the same of t	
A. CIMPLEDY		TANK TO SECURE	A1 / 24
the grant to the state of the s	A 1,000 A 1,000		- 1 / 1
	The second secon		F 107 14 15 15 15 15 15 15 15 15 15 15 15 15 15
The second secon	AL DO DOOD D PRODUCTION	TOTAL TO SOLD TRANSPORT OF THE PROPERTY.	
The second secon			ž.,
A STATE OF THE STA			
	The second secon	E COMP CONTROL AND SECURIOR CO.	
	The state of the s		
The state of the s	the second property of the second sec		
	AND DESCRIPTION OF THE PARTY OF		
A SECRETARY OF THE PARTY OF THE			-
The state of the s	and the second of the second of the second of the		
The second secon			
N 1 1 70 20 1 1 13 780 1 10 10 10 10 10 10 10 10 10 10 10 10	THE PARTY CONTROL OF THE PARTY		N.
the species of the species which were	A CAMPAGE OF THE PARTY OF THE P		
The state of the s	TOTAL CONTRACTOR OF THE PARTY O		
1779.00	Market September 1	the second of the second secon	e were a large
T CAMOLING AND AT	AT R P. SEPTEM P. AL S. SEPTEMBER	*****	50 W
F. SAMPLING AND AL	NALYTICAL PROCEI	HIKES	A
Control of the Contro			
			40
and the second s	15. 10.508	per contract to	2
G. STATISTICAL PRO	A PRINCIPLE OF THE PRIN		74-54
(1 STATISTICAL PRO	OCENTRES	100	777
have a died an arrival and the part age to the profession of the party h	the the state of t		44
2.77			
	the graph that the time of the second of the second of		· ·
LI. TURNESSON I LETTY MINIS	er retrained to the second of the second		4
The second secon			
: IVEDIIONIN SITT	EVETT E		


10.3 GIRSDING WATER

DAIL

Was Chemick Billwices Chicago Brazant Yor

aul Abism

		The second secon	<u>.</u>		
	The state of the s	art B Permit	THE CONTROL THE PROPERTY OF TH	Secretarian security of the securi	10
		undwater Mor		79. 1	
		ctive Date:		and the same of th	
	Modii	ication Date	: 12/2/96		
			1001	7	
<b>ሪድ</b> ሮጥ	ON III: GROUNDWATER	MONTTORING	COMPLIANCE	NTTORING	
DECI.			The second second second second	3 3	271
	7700		COMPI	IANCE	
	**************************************		Y	y n	101
	The second secon				1400
A. St	JMMARY	章 1.7公局"娜"	N/A	174	4000
		J	A THE STATE OF		
B. II	MPLEMENTATION	to the state and the state of t	X		
C. W	ELL LOCATIONS AND CON	ארר <i>דיי ו</i> זקיים	Y	7. T. T.	2 2 3
C. W.	and docarrons and con	DIROCITOR		4 5	
D. GI	COUNDWATER PROTECTION	STANDARD	X		100
	- 198	36 1		et t	
E. CO	MPLIANCE MONITORING	PROGRAM	X		
			2 45 6		:
F. SI	MPLING AND ANALYTICA	L PROCEDURE:			-
G. ST	ATISTICAL PROCEDURES	8	4		
G. 51	ATIBITEAL PROCEDURES		30		
H. RE	PORTING AND RECORD K	EEPING	x		
	The second secon				
I. CC	MPLIANCE SCHEDULE		X		
	and the same of th	N i			



DN.File -

### Illinois Environmental Protection Agency Division of Land Pollution Control

#### RCRA INSPECTION REPORT

USEPA#: IL D 000608471   IEPA#: 0	3/6000051
	Phone #: 17/2 // 4/ -/- 200
Street Address: 11800 S. STONY TSLAND	Court: COOK
City: CHICAGO. State:	IL   Zip: 60617
Region: MAYLOOD Inspection Date: 3 126198	From: 9.3Am To: 12.00Am
Weather: CLEAR SUNNY APPROX 60°F	RECEIVED
TYPE OF FACILITY	APR 2 1 1998
Notified As: G, T, S Regulated As	
LDF? NO HPV? NO 90-Day F/U Required?:	YES NO
TYPE OF INSPECTION	
CEi: Sampling: Citizen Complaint:	Closed: Other:
CME/O&M: Record Review: Follow-Up to Inspection	on of: Withdrawal:
NON-REGULATED STATUS	NA
SQG: Claimed Nonhandler: Of	ther (Specity in Narrative):
PARTA	
Notification Date: 1/29/89, from (initial) or (subse	
	nded: <u>2114192</u>
Part A Withdrawai requested:/ Appro	oved by (US)(IL) EPA://
PART B PERMIT APPLICATION	0 11/01/
Part 8 Permit Submitted Y br N// Fin	al Permit Issued: 10124194
ENFORCEMENT	
Has the firm been referred to USEPA: Y or N	)11
Illinois Attorney General: Y of N/ County State's Attorney	orney: Y cr(N)//
ORDERS ISSUED	
CACO:// CAFO://	Consent Decree://
Federal Court Order:// State Court Order://	IPCB Order:/
TSD FACILITY ACTIVITY SUMMA	
Activity by Process Code On Part Al Activity Dans Activity Dans Constituted Rein Dans Co	* al 27
Activity by Process Code On Part Al Activity Daniel Created Company Control New Process Code	Strand Per Strand Per Strand Per Strand Per Strand Per Strand Per
SOI YES YES YES NO YES	NA YES YES YES
501	
500	
701	
704 4 4 4 4	4 4 4
	,

OWNER	OPERATOR			
Name CLEAN HARBO	eS	Name CLE	AN HAN	BORS
ddress 1200 CROWN				TONY ISLAND
Lity QUINCY	·	City CHICA		
	22269	State IL		Zip 66617
Phone # 6/7/849-	1800	Phone # 77	3/646	-6202
PERSON(S) INTERVIEW	'ED	TITLE		PHONE #
JAMES LAUBSTEA	D (	Compliance.	MANABER	312/646-6202
		· · · · · · · · · · · · · · · · · · ·		
INSPECTION PARTICIPA	ANT(S)	AGENCY/T	TITLE	PHONE #
AARON TAYLOR		TEDA / F	-p.s	108/338-7900
THEON THEOLE		401112	70	100/200 1100
PREPARED BY		AGENCY/1	TITLE	PHONE #
PREPARED BY  AARON TAYLOR	2	AGENCY/I		PHONE #
		FEPA /EA	35	108/338-7100
AARON TAYLOR		PARENT VI	CLATIO	108/338-7100
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS
AARON TAYLOR  SUMMARY  NO APPARENT VIOLATION	OF APP	PARENT VI	CLATIO	708/338-7900 ONS

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
	Part 722: Standards Applicable to Generators of Hazardous Waste (>1000	
	Kg/mo_)	
	Subpart A: General	
	Section 722.111: Hazardous Waste Determination	
722.111	Has the generator correctly determined if the solid-waste(s) it generates is a hazardous waste?	
	Yes No N/A	722.111
	Have hazardous wastes been identified for purposes of compliance with Part 728?	
808.121(a)	Yes No N/A  Has the generator correctly determined if the solid waste(s) it generates is a special waste?	
000.121(a)	Yes No N/A	808.121(a)
	Section 722.112: USEPA Identification Numbers	
722.112(a)	Has the generator obtained a USEPA identification/number?	
	Yes No N/A	722.112(a)
722.112(c)	Has the generator offered its hazardous waste only to transporters or to treatment, storage or disposal	
	facilities that have a USEPA identification number?  Yes No N/A	722.112(c)
	Subpart B: The Manifest	
Y	Section 722.120: General Requirements	
722.120(a)	Does the facility manifest its waste off—site?  Yes No N/A	
722.120(b)	Yes No N/A  Does the manifest designate a facility permitted to handle the waste?	722.120(a)
, 22. (2)	Yes \( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	722.120(b)
722.120(d)	Has the generator shipped any waste that could not be delivered to the designated facility?	
	Yes No N/A	722.120(d)
	Section 722.121: Acquisition of Manifests	
<b>700</b> 404(-)	Has the generator used:	· ·
722.121(a)	-an Illinois manifest for wastes designated to a facility within Illinois?  Yes No N/A	722.121(a)
722.121(b)	- a manifest from the State to which the manifest is designated?	/ 22.121(4)
	Yes No N/A	722.121(b)
	- an Illinois manifest if the State to which the waste is designated has no manifest of its own?	
	Yes No N/A	
	Section 722.122: Number of Copies	
722.122	Does the manifest consist of at least 6 copies?	700 100
		722.122
	Section 722.123: Use of the Manifest For each manifest reviewed, has the generator:	
722.123(a)	- signed the certificate by hand?	
,	Yes No N/A	722.123(a)
	- obtained the handwritten signature and the date of acceptance by the initial transporter?	
	Yes No N/A	
	- retained one copy as required by Section 722.140(a)?  Yes √ No N/A	
	- apparently sent a copy (part 5 for the Illinois manifest) to the Agency within 2 working days?	
-	Yes No N/A	
722.123(b)	- has the generator apparently given the remaining copies to the transporter?	
	Yes No N/A	722.123(b)
	(GEN-1)	L

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
722.123(c)	- has the generator followed the procedures prescribed in Section 722.123 for manifesting bulk	
	shipments of hazardous waste by rail or water?	722.123(c)
	Yes No N/A	144
	Subpart C: Pre-Transport Requirements	
	Is there any hazardous waste ready for transport off-site?	
	Yes NO N/A	
	Is there any hazardous waste ready for transport off—site?  Yes No N/A  If so, is the generator complying with the pre—transport requirements in Subpart C7  Yes No N/A  Section 722.134: Accumulation Time	
	100 110	
	Section 722.134: Accumulation Time	
722.134(a)	Has the generator complied with the following requirements:	
	Yes No N/A	722.134(a)
722 134(a)(1)	A) For waste in containers, has the generator complied with the requirements of Part 725, Subpart I?	
722.134(a)(1)	Yes No N/A	
	and/or	
	B) For waste in tanks, has the generator complied with the requirements of Part 725, Subpart J (except	
	Sections 725 297(c) and 725 300)?	
	Yes No N/A	
	and/or	
	C) For waste on drip pads, has the generator complied with the requirements of Part 725, Subpart W	
	and maintained the required records identified in this subsection?	
	Yes No N/A	
	and/or	
	D) For waste in containment buildings, has the generator complied with Part 725, Subpart DD and	
	maintained the required records identified in this subsection?  Yes No N/A	
722 134(a)(2)	Yes No N/A For waste in containers, has the generator marked and made visible for inspection on each container,	
122.104(a)(2)	the date upon which accumulation began?	
	Yes You N/A	
722.134(a)(3)	For waste in containers and tanks, has the generator marked or labeled each with the words	
	"Hazardous Waste"?	
	Yes No N/A	,
722.134(a)(4)	Has the generator complied with the requirements of Part 725, Subparts C and D, and Sections	2
	725.116 and 728.107(a) (4)?	
-	Yes No N/A	
	Specifically, the requirements of items 1 and/or 4 above (listed by regulation) which need to be	
	complied with are as follows:	
		*
	Does the facility accumulate hazardous waste in containers?	
	Yes No N/A	
	If "No", go to Subpart J.	
	(GEN - 2)	

Regulation |

#### RCRA GENERATOR INSPECTION CHECKLIST (PART 722)

Violation

-	Subpart : Use and Management of Containers
	Has the generator closed an accumulation area?
	Yes No N/A
(725.211)	If "Yes", was the accumulation area closed in accordance with Sections 725.211 and 725.214?
(725.214)	Yes No N/A
(725.271)	If the containers have leaked or are in poor condition, has the owner/operator transferred the hazardous
	waste to a suitable container?
	Yes No N/A
(725.272)	Is the waste compatible with the container and/or liner?
	Yes X No N/A
(725.273a)	Are containers of hazardous waste always closed except to remove or add waste during accumulation?
	Yes No N/A
(725.273b)	Are containers of hazardous waste being opened, handled, or stored in a manner which will prevent the
(. 20.2. 00)	rupture of the container or prevent it from leaking?
	5/
(725.274)	
(725.274)	Is the owner/operator inspecting the accumulation area(s) at least weekly, looking for leaks or
	deterioration?
	Yes No N/A
	Is the accumulation area free from any evidence of leaking or deteriorating containers? (See also
	Section 725.131)
	Yes No N/A
(725.276)	Are containers holding ignitable or reactive wastes located at least 15 meters (50 feet) from the facility's
	property line?
	Yes Y No N/A
	Note: See Section 725.117(a) for additional requirements for ignitable, reactive or incompatible wastes.
(725.277)	Is the owner/operator complying with the requirements concerning incompatible wastes?
	Yes No N/A X
	Comments:
	_
	_ <del>-</del>
	-
	Does the generator accumulate and/or treat hazardous waste in tanks?
	Soco and gonerator accommute and/or treat mazardons waste in tarias
	Yes X No N/A

(GEN-3)

_				
Rea	 a	11	റ	n

### RCRA GENERATOR INSPECTION CHECKLIST (PART 722)

		20 6		
Vi	-	oti	ion	

	4) design or operational measures the	nat will protect und	erground tan	k systems from potential	i
	damage resulting from venicular t	raffic?		1	
		Yes	No	N/A 🗡	
	5) designs to ensure adequate foun	dations, anchoring	to prevent flo	otation or dislodgement an	nd the
	ability to withstand the effects of f	rost heave?			
		Yes	No	N/A Y	
(725.292g)	Has the owner/operator obtained and k	ept on file at the fa	cility the writt	en statements, including t	he
	certification statements (as required in	Section 702.126(d)	] of the desig	n and installation requiren	nents
	of Subsections (b) through (f)?	16			,
	a B	Yes		N/A	
(725.293a)	is secondary containment provided f	or any new tank sy	stem before	being put into service?	
		Yes <u> </u>	No	N/A	
	Does an existing tank, used to accumu	late F020, F021, F0	022, F023, F0	26 or F027 waste(s), have	
	secondary containment by 1/12/89?	w.			
		Yes	No	N/A_X	1
	For an existing tank of documentable a	ge, is secondary c	ontainment p	rovided by 1/12/89 or whe	en the
	tank is 15 years old, whichever is later?				1
		Yes	No	N/A	
	For an existing tank of undocumentable	e age, has second	ary containm	ent been provided by 1/12	2/95?
		Yes	No	N/A	
	or				_ = " = _
	if the facility is older than 7 years, by t	he time the facility	reaches 15	years of age or 1/12/89, w	hicheve
	is later?			4	
		Yes	No	N/A	
	For tanks that accumulate wastes that	become hazardous	s after 1/12/8	7, has secondary contains	nent
	been provided within the time intervals		0 10 00 0	through (a)(4) substituting	the
	date that a material becomes a hazard	ous waste for 1/12	/87?		
		Yes	No	N/A	
(725.293b)	Is the secondary containment system of	15	and operate	d to prevent migration of v	vastes
	or accumulated liquid out of the system	n at any time?			
		Yes	No	N/A	
	is the secondary containment system		ng and coilec	ting releases and accumul	ated
	liquids until the collected material is re				
		Yes 🗡	No	N/A	
(725.293c)	To meet the requirements of Subsection				
	1) compatible with the waste(s) in	the tank and of suf	ficient streng	th and thickness to preven	it
	failure?	\			
		Yes	No	N/A	
	2) placed on a foundation or base				ssure
	gradients and preventing failure	1/	compression	n of uplift?	
		Yes	No	N/A	
	<ol> <li>provided with a leak detection s</li> </ol>		nd operated t	o detect any release or	
	accumulated liquid within 24 ho	urs?			
		Yes	No	N/A	
	4) sloped or otherwise designed o	r operated to drain	and remove	liquids resulting from leak	s, spills
	or precipitation?	X			
		Yes	No	N/A	
	and				
	is spilled or leaked waste and a	ccumulated precip	itation remov	ed from the secondary	
	containment within 24 hours?	1/			
		Yes	No	N/A	
	Note: A RCRA permit may allow for r	emoval of liquids le	ess frequently	than 24 hours after	
	accumulation.	or inquido it			

(GEN-5)

Regulation		HCHA GEN	EHATOR	ISPECTION	CHECKLIS	ST (PAHT 722)	
	Subp <del>art</del> J:	Tank Syst	ems				
	Has the gene	rator closed an	accumulation	area?	. (		
				Yes	No_X	N/A	
(725.211)	f "Yes", was t	he accumulation	n area closed	in accordance		725.211 and 725.214	?
(725.214)				Yes	No	N/A	
(725.290)	Does the faci	lity accumulate	or treat haza	rdous waste in ta	anks?		
				Yes	No	N/A	
	If "No", skip S	Subpart J.		•			
	(using the floor are b) Tank syst or contain c) Tanks, su	e Paint Filter Lice exempted from tems, including n releases of ha imps and other	quids Test) ar the requirem sumps, that s zardous wast collection de	nd that are situat ents in Section 7 serve as part of a es are exempted vices used in co	ted inside a bu 25.293. I secondary co I from the requi njunction with	which contains no frouidling with an imperrontainment sytem to uirements in Section drip pads (as definents of this Subpart.	meable collect 725.293(a).
(70E 001a)					•		<b>-1</b>
(725.291a)	by a second	ary containment cordance with	nt system, has	a written assess	sment been re	under 720.110) and noviewed and certified accept as provided in s	by an
	123.231(0)]:			Yes	No	N/A +	
(725.291b)	Does this as	sessment cons	ider at least th		110	14/4	
(123.2310)				ancillary equipm	ent?		
	., 555.9.			Yes	No	N/A	
	2) hazaro	dous character	istics of the wa				
				Yes	No	N/A	
	3) existin	ng corrosion pro	otection meas	ures?			
				Yes	No	N/A	
	4) docum	mented age of t	he tank syste	m?			
				Yes	No	N/A	
	5) results	s of a leak test,	internal inspe	ection, or other ta	ank integrity e	xamination?	
				Yes	No		
(725.291c)				formed within 12	2 months after	the materials in the t	ank
	become a h	azardous waste	∍?				
				Yes	No	N/A	
	Note: If an	assessment in	dicates a tank	system is leakir	ng or unfit for	use, the owner/opera	tor must_
	comp	oly with the requ	uirements of S	Section 725.291(	b) (5).		-
(725.292a)	7/14/86, has		ssment been	reviewed and ce		ose installation comm RPE in accordance w	
	Does the as	sessment inclu	ide, at a minin	Yes	No	N/A	
				cillary equipmer	•		
				Yes 🗡	No	N/A	
	2) hazar	dous character	ristics of the w	aste(s) to be ha			
				Yes	No	N/A	
	3) evalua	ation of potenti	al for corrosio			easures for tank syste	ems with
		components in				1	
				Yes	No	N/A	

\*!RPE = Independent Registered Professional Engineer

(GEN-4)

100	-		15	
		-		-
Rea	u	d	.IU	

#### RCRA GENERATOR INSPECTION CHECKLIST (PART 722)

Violation

5.293d)	Does the secondary containment for tar	nks have one or m	ore of the follo	wing:	1
	1) a liner (external to the tank); or				1
	2) a vault; or				
	3) a double-walled tank; or				
	4) an equivalent device (approved b	v the Board)?			1
		Yes	No	N/A	
(725.293e)	Does the external liner system(s), vault	system(s) and/or		tank(s) meet the addition	nai
	requirements identified in Section 725.2				
		Yes	No	N/A	=
(725.293f)	Is ancillary equipment protected by sec				ction
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(h) and (c) except for:	oneary contactions			
	aboveground piping (exclusive o	f flances joints v	aives and conf	nections) that are inspecte	d
	daily?			,,	_
	,	YAS	No	N/A	
. 14.	2) welded flanges, joints and conne	ections that are ins			
	z, worder manges, journs and comme	Yes	No No	N/A	
	3) sealless or magnetic coupling pu				
	o, sealess of magnetic coupling po	Yes Yes	No No	N/A	
	4) procesurized above ground sining		W 1801-191		<b>.</b>
	4) pressurized aboveground piping	systems with aut	omauc snut-c	il devices that are inspect	eu
	daily?	w \\	Ma	NI/A	
(705 000i)	Until qualities as assessment as assessment	Yes	No	N/A	400 011
(725.293i)	Until such time as secondary containm	ient is provided, a	re the following	g requirements being met	ior all
	tank systems:	4 <b>4</b>		h at ate the requirement	4
	1) For non-enterable underground	i tanks, nas an an	nuai leak test t	nat meets the requirement	CS OI
	725.291(b)(5) been conducted?	Van	No	N/A ¥	
	O) For other than any and and a	Yes		N/A_	laala
	2) For other than non-enterable up				ICAK
	test, internal inspection or other		•	- /	
	2) Assumitted to a second surface in the investment of the investme	Yes	No	N/A Y	
	3) Are written records maintained a			c /	
	Subsections (i)(1) and (i)(2)?	Yes	No	N/A	
	Note: If a tank system is found to be	leaking or unfit for	use as a resu	t of a leak test or assessm	ent, the
	owner/operator must comply w	ith Section 725.29	96.		
(725.294a)	Has the owner/operator placed hazard	lous wastes as tra	otmont rongon	to in the tank system that s	could
(725.25-44)	cause the system to rupture, leak, corr		_	is in the tank system that t	Joula
	cause are system to rapture, leak, com	Yes	No	N/A V	
(725.294b)	Do tanks and secondary containment			<del></del>	nd
(123.2340)	overflows including:	nave appropriate	controls and p	ractices to prevent spins a	
	1) spill prevention controls?				
	// spin prevendon controls?	V V	Ma	A1/A	
	2) overfill prevention controls?	YesYes	No	N/A	
	2) Overmi prevention controls?	v X	Na	N/A	
	2) cufficient fractional in unacuration	res	NO	N/A	
	3) sufficient freeboard in uncovere			🗸	
		Yes	мо	N/A	
(725.294c)	Note: If a leak or spill has occurred in	the tank system.	the owner/one	erator shall comply with the	е
	, , , , , , , , , , , , , , , , , , , ,		are entirely op	itator silan compily man	
	requirements of Section 725.29		uic owner,op	inator small comply man and	

Regulation :

#### RCRA GENERATOR INSPECTION CHECKLIST (PART 722)

Violation

7.25.295a)	Does the owner/operator inspect, if pres	ent, at least eac	n operating day	y, the following:	
	1) overfill/spill control equipment?	• 6			
		Yes	No	N/A	
	2) the aboveground portion of the tar	nk system for co	rrosion or relea	ses?	
		Yes Y	No	N/A	
	3) data from monitoring equipment?	. (			
		Yes 🖳	No	N/A	
	4) the construction materials and the	area immediate	ly surrounding	the external portion of	f the
	system?	Yes Y	No	N/A	
(725.295b)	If the tank system has cathodic protectio	n, is the owner/o	perator compl	ying with Section 725.	.295(b) to
	ensure that they are functioning properly	n (			
	,	Yes	No	N/A	
(725.295c)	Does the owner/operator document in th	ne operating rece	ord, the results	of tank inspections as	required
	in Section 725.295(a) and (b)?	1			-
		Yes Y	No	N/A	
(725.296)	If the tank system or secondary contains	ment system has	a leak or spill	or is unfit for use, has	the
	owner/operator:				
	a) immediately ceased using; prever	nted flow or addi	ition of waste a	nd inspected the syste	em to
	determine the cause of the releas				
		Yes	No	N/A 4	
	b) removed applicable waste from th	ne system within		The second secon	
	,	Yes	No	N/A Y	
	c) immediately conducted a visual in	spection of the		en actions to contain	visible
	releases to the environment, prevent				
	and properly disposed of any con			: (	
		Yes	No	N/A Y	
(725.296d)	d) notified the Agency within 24 hou			, (	
,		Yes	No	N/A 4	
	d)3) within 30 days of detection of re			e Agency that complie	s with the
	requirements of Section 725.29		ш породо до	, , [	
		Yes	No	N/A Y	
			-		
	Note: Notification and reports are not r		than 1 pound	of material is spilled a	nd it was
	immediatey contained and clear	ned up.			
(725.296e)	e) repaired the tank system prior to	returning the tan	k system to se	rvice in the event that	a leak has
	occurred from the primary tank sy	-	•		
		Yes	No	N/A X	-
	e)4) provided secondary containme	nt before returni	ng a tank syste	m to service in the eve	ent that the
	release was from a component				•
	,	Yes	No	N/A V	
	e)4) met the requirements for a new	tank system in t	the event that a	component is replace	ed during
	repair?			. (	
		Yes	No	N/A	
	e)4) provided the entire component				to use in the
	event that a leak has occurred i	5			
	visual inspection?	, , , , , , , , , , , , , , , , , , , ,		-	
		Yes	No	N/A V	
(725.296f)	f) In the event that an extensive repa				n (e).
,. 20.200.)	submitted to the Agency within 7				
7	IRPE stating that the repaired sys				
	release for the intended life of the		. nanding naz	Wastes William	-
		Yes	No	N/A /	
		103	140	+	

Rea		-	٠.	-	
neu	u	a	u	u	

#### RCRA GENERATOR INSPECTION CHECKLIST (PART 722)

Violation

	Note: The owner/operator does not sati	sty the requireme	ents of subsect	ions (e) (2) through (e) (4), the
	tank system must be closed in acc			
(725.297a)	At the time of closure of a tank system, ha	s the owner/oper	rator removed	or decontaminated all waste
	residues, contaminated components, con-	taminated soils a	nd structures a	and equipment and managed
	them as hazardous waste [unless Section	721.103(d) appli	esj?	
		Yes	No	N/A
(725.297a)	Have the closure plan, closure activities,	cost estimates fo	or closure and	financial responsibility for tank
	systems met all requirements specified in	Subparts G and	H?	
		Yes	No	N/A
(725.297b)	If the tank system cannot be "clean" close	d, has the owner	operator close	ed the tank system and
	performed post-closure care in accordar	nce with the close	are and post-	closure care requirements that
	apply to landfills (Section 725.410)?			
		Yes	No	N/A_
	Note: Such a tank system is considered	a landfill and mu	st meet all of the	he requirements of landfills
	specified in Subparts G and H.			
(725.298a)	Are ignitable or reactive wastes placed in	a tank system?		. (
		Yes	No	N/A 😾
	If "No", skip to Section 725.299.			
	Is the waste treated, rendered or mixed b	efore or immedia	tely after place	ement in the tank
	system so that:		itory arter prace	
	- the resulting waste, mixture or disso	olved material is r	no longer ignita	able or reactive?
	3,4-77	Yes		N/A
	- Section 725.117(b) is complied with	2		
		Yes	No	N/A 4
	or			<del></del>
	Is the waste accumulated or treated so the	at it is protected	from any mate	rial or conditions which may
	lead to ignition or reaction?			
		Yes	No	N/A Y
	or			
	Is the tank used solely for emergencies?			N/A
		Yes	No	N/A
(725.298b)	Is the facility complying with the requirem	nents regarding r	naintenance of	protective distances between
	the waste management area and any put			
		Yes	No	N/A_X
(725.299)	Are incompatible wastes/materials placed	d in the same tan	k?	1.6
		Yes	No	N/A_X
	If "No", skip to Section 725.300.			N/A
	Is Section 725.117(b) being complied wit	th?		
		Yes	No	N/A
	Has the tank system been properly decounless Section 725.117(b) is complied with		reviously held	an incompatible waste/material
	(2) 10 001111	Yes	No	N/A V
		. 63	.10	
	COMMENTS:			

egulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
	Has the generator who treats, stores or disposes of hazardous waste on -site, filed an annual report	
	with the Agency by March 1 for the preceding calendar year?	722.141(b)
	Yes No N/A	
	Section 722.142: Exception Reporting	
i	If the generator has not received a copy of the manifest from the TSD facility within 35 days of the	
	date of delivery to the transporter, has the generator contacted the transporter or the TSD facility to	722.142(a)(
	determine the status of the hazardous waste?	
	Yes	
2.142(a)(2)	If the generator has not received a copy of the signed manifest within 45 days of the date of delivery to	(*)
	the transporter, has he filed an exception report with the Agency in accordance with the requirements of	722.142(a)(
	this Section?	
	Yes No N/A	
700 4 40	Section 722.143: Additional Reporting	
722.143	Has the generator furnished additional reports as required by the Director?  Yes  No  N/A	
	Yes No N/A	722.143
	Subpart E: Exports of Hazardous Waste	
	Is the generator an exporter of hazardous waste?	
	Yes No N/A	
	If "Yes", has the generator complied with the requirements of Subpart E?	
	Yes No N/A	
	<del>-</del>	
	Subpart F: Imports of Hazardous Waste	
	Is the generator an importer of hazardous waste?	
	Yes No N/A	
	If "Yes", has the generator complied with the requirements of Subpart F?	
	Is the generator an importer of hazardous waste?  Yes No N/A  If "Yes", has the generator complied with the requirements of Subpart F?  Yes No N/A  Subpart G: Farmers	
	Subpart G: Farmers	l
	Is the generator a farmer?	
	Yes No N/A	
	If "Yes", has the generator complied with the requirements of Subpart G?	
	Yes No N/A	
	Comments:	
	_	
		1

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
nogulation	Part 728: Land Disposal Restrictions	Violation
	·	
<b>-</b>	Subpart A: General	
728.103(a)	Section 728.103: Dilution Prohibited as a Substitute for Treatment  Has a person diluted a restricted waste or a treatment residual of a restricted waste as a substitute for	
720.100(a)	adequate treatment?	728.103(a)
	Yes No N/A	
	Note: Has any person filed for a petition to allow land disposal of wastes prohibited under Subpart C of Part 728?	
	Yes No N/A	
	Section 728.104: Treatment Surface Impoundment Exemption	
728.104	Are wastes that are otherwise prohibited from land disposal under this Part being treated in a surface	
	impoundment that meets the requirements of this Section?  Yes No N/A	728.104
	Yes No N/A/	
	Section 728.107: Waste Analysis and Recordkeeping	
728.107(a)	Has the generator tested the waste [as specified in 728.107(a)] or used knowledge of the waste to	TAC 1251
	determine if the waste is restricted from land disposal?  Yes No N/A	728.107(a)
728.107(a)(1)		
	includes the following information:	728.107(a)(1)
	A) USEPA Hazardous Waste Number?  Yes No N/A	1
7. 5.	Yes/ No N/A  B) corresponding treatment standards or a reference to the treatment standard by section or	
	applicable treatment code?	
	Yes No N/A	
	C) manifest number associated with the shipment of waste?	
	Yes No N/A  D) for hazardous debris, the contaminants subject to treatment as provided by Section 728.145(b)	
	and the following statement: "This hazardous debris is subject to the alternative treatment	
	standards of Section 728.145?"	*
	Yes No N/A	
	E) waste analysis data, where available?  Yes No N/A	
728.107(a)(2)	Has the generator of a restricted waste that meets the applicable treatment standards submitted, with	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	each shipment, a notice and certification, as specified in this Section, stating that the waste meets	728.107(a)(2)
	applicable treatment standards and can be land disposed without further treatment?	
709 407(a)(0)	Yes No N/A Has the generator of a restricted waste that has been exempted under Section 728.106 submitted a	4 4
726.107(a)(3)	notice, as specified in this section, with each shipment to the receiving facility, stating that the waste	728.107(a)(3)
	is not prohibited from land disposel?	120.101 (4)(6)
,	Yes No N/A	
728.107(a) (4)	Has the generator who treats a prohibited waste in tanks or containers in order to meet the treatment	,
	standards developed and followed a waste analysis plan?  Yes No N/A	728.107(a)(4)
	Is the plan on—site?	
	Yes No N/A	
	Does the plan include a detailed physical and chemical analysis?	
	Yes No N/A Has the plan been filed with the Agency at least 30 days prior to commencement of the treatment	
	activity?	
	\/	T.
	Yes No N/A	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Here the generator submitted the required notification and confileration that the westerness treatment	
	Has the generator submitted the required notification and certification that the waste meets treatment	
	standards when the waste is shipped off-site?  Yes No N/A	
-		
728.107(a)(5)		
*	knowledge and/or testing of the waste retained all supporting data used to make this	728.107(a)(5)
	determination on – site?	
	Yes No N/A	
728.107(a)(6)	If a generator determines, subsequent to the time of generation, that the generator is managing a	
	restricted waste which is excluded from the definition of hazardous or solid waste or exempt from RCRA,	728.107(a)(6)
	has a one-time notification stating such generation been placed in the generator's files?	
	Yes No N/A	
728 107(a)(7)	Does a generator keep on -site a copy of all notices, certifications, demonstrations, waste analysis data	
720.107(4)(7)	and other documentation produced pursuant to this Section for at least five years from the date of the	728.107(a)(7)
	·	726.107(a)(7)
	latest shipment?  Yes Vo No N/A	
728.107(a)(8)	If a generator is managing a lab pack that contains waste identified in Appendix D of Part 728 and	
	wishes to use the alternative treatment standard under Section 728.142, has the generator submitted a	728.107(a)(8)
	notice and certification to the treatment facility with each shipment in accordance with this subsection?	
	Yes No N/A	
728.107(a)(9)	If a generator is managing a lab pack that contains organic waste identified in Appendix E of Part 728	
	and wishes to use the alternative treatment standard, has the generator submitted a notice and	728.107(a)(9)
7	certification to the treatment facility with each shipment in accordance with this subsection?	
	Yes No N/A	
728.107(a 10)	Has a small-quantity generator with a tolling agreement pursuant to Section 722.120(e) retained on site	
	a copy of the notification and certification of the initial waste shipment together with the tolling	728.107(a)(10)
	agreement for at least 3 years after the termination or expiration of the agreement?	
	Yes No N/A	
728.107(b)	Has the treatment facility tested its waste according to the frequency specified in its waste analysis plan	
	as required by Sections 724.113 or 725.113 and subsections (b)(1), (b)(2) and (b)(3) of this section?	728.107(b)
	Yes No N/A	
728 107(b)(4)	Has the treatment facility sent a notice to the land disposal facility with each shipment of waste that	
720.107(0)(1)	includes the following information:	728 1076\/4\
	A) USEPA Hazardous Waste Number?	728.107(b)(4)
	Yes No N/A	
	B) corresponding treatment standards or a reference to the treatment standard by section or	
	applicable treatment code?	174
	Yes No N/A	-
8	C) manifest number associated with the shipment of waste?	-
	Yes No N/A	
	D) waste analysis data, where available?	
	Yes No N/A	
728.107(b)(5)	Has the treatment facility submitted a certification, as specified in 728.107(b)(5), with each shipment of	
	hazardous waste or treatment residue to the land disposal facility?	728.107(b)(5)
	Yes Y No N/A	
728.107(b) (6	If the waste or treatment residue will be further managed at a different treatment or storage facility, is the	
	treatment facility sending the waste complying with the notice and certification requirements of Section	728.107(b)(6)
	728.107(a)?	
	Yes No N/A	
	// DD _ 0\	
	(LDR-2)	1

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Has the recycling facility that is making off-site shipments of recyclable materials used in a manner	
.107(5)(7)	constituting disposal:	728.107(b)(7)
	- submitted to the Agency a notice and certification with each shipment in accordance with	
	728.107(b)(4) and (b)(5)?	
9	728.107(b)(4) and (b)(5)?  Yes No N/A	
	- kept records of the name and location of each entity receiving the hazardous waste-derived	
	product? Yes No N/A	
728 107(0)	Yes No N/A  Has the owner/operator of any land disposal facility disposing of any restricted waste, except where the	
728.107(c)	waste being disposed of is a recyclable material used in a manner constituting disposal:	728.107(c)
7.0	1) maintained copies of the notice and certification specified in subsection 728.107(a) or (b)?	
	Yes No N/A	
	2) tested the waste to ensure that it is in compliance with applicable treatment standards or	
	prohibitions?	
	rohibitions?  Yes No N/A	5
728.107(c)(4)	Note: If the owner/operator is disposing of any waste that is a recyclable material used in a amanner	
	constituting disposal, the owner/operator is not subject to the subsections (c)(1) and (c)(2) with	*
	respect to such waste.	
728.107(d)	Has the generator or treater who first claims that their hazardous debris is excluded from the definition	
,	of a hazardous waste under Section 728.103(f)(2) provided the following notification and certification:	728.107(d)
40.5	1) a one-time notification submitted to the Agency including the following information:	
	A) the name and address of the RCRA Subtitle D facility receiving the treated debris?	
	Yes No N/AX	7
	B) a description of the hazardous debris as initially generated including the applicable USEPA	
1	hazardous waste number(s)?  Yes  No  N/A	
0.00	C) for debris excluded under Section 728.103(f)(2), the technology from Section-728, Table F?	
	Yes No N/A	
	2) Has the notification been updated if the debris is shipped to a different facility or if a different	
	technology is used to treat the debris?	
	Yes No N/A	
	3) For debris excluded under Section 728.103(f) (2), has the owner/operator of the treatment facility	
	documented and certified compliance with the treatment standards of Section 728, Table F	
	pursuant to this Subsection?  Yes No N/A	*
	Section 728.109: Special Rules for Characteristic Wastes	1 1
728.109(a)	Has the generator determined each USEPA hazardous waste code applicable to the waste in order to	
	determine the applicable treatment standards under Subpart D?  Yes No N/A	728.109(a)
		. 11
	Note: For purposes of this Part, the waste will carry the waste code for any applicable listing under Part	
	721, Subpart D and one or more of the waste codes under Part 721, Subpart C where the waste	
	exhibits the relevant characteristic, except in the case when the treatment standard for the Subpart D waste code operates in lieu of the standard for the Subpart C waste code as specified	
	in subsection (b).	
708 400/h		
728.109(b)	Does the waste meet the treatment standards for all applicable listed and characteristic waste codes?	700 (004)
	Yes No N/A	728.109(b)
	Note: Where a prohibited waste is both listed and characteristic, the treatment standard for the listed	
	waste code will operate in lieu of the standard for the characteristic waste code, provided that	
	the treatment standard for the listed waste includes a treatment standard for the constituent that causes the waste to exhibit the characteristic.	
	(LDR-3)	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
8.109(c)	Has the generator land disposed any prohibited waste which exhibits a characteristic under Part 721,	
	Subpart C only if the waste complies with the treatment standards under Part 728, Subpart D (in	728.109(c)
	addition to any applicable standards determined from the initial point of generation)?	. 25 65 (6)
-	Yes No N/A	
700 400(4)		
728.109(d)	1) Has the generator sent the required notification and certification to the appropriate Agency for each	
	shipment of waste that no longer exhibits the characteristic to a Subtitle D landfill?	728.109(d)
	YesX No N/A	
	Does the notification include the following information:	
	A) name and address of the non-hazardous waste facility receiving the shipment?	
	Yes No N/A	
	B) description of the waste as initially generated, including USEPA hazardous waste number(s),	
	applicable wastewater or nonwastewater category and the subdivisions made within a waste	
	code based on waste specific criteria (such as D003, reactive cyanides)?	
	Yes Y No N/A	
	C) treatment standards applicable to the waste at the initial point of generation?	
	Yes No N/A	
	2) Has the certification been signed by an authorized representative and is the language stated as	
	required in Section 728.107(b) (5) (A)?	4
	Yes No N/A	
	Subpart C: Prohibition on Land Disposal	
	Section 709 190: Wests Specific Drabibitions - Columnt Wests	
700 400	Section 728.130: Waste Specific Prohibitions — Solvent Wastes	
728.130	Has the generator of a spent solvent waste (F001 – F005) land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.130
	Yes No N/A	
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	20
	Yes No N/A	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	Section 728.131: Waste Specific Prohibitions Dioxin-Containing Wastes	
728.131	Has the generator of a dioxin-containing waste (F020, F021, F022, F023, F026, F027 or F028) land	
	disposed the waste only after having:	728.131
	1) met the treatability standards of Part 728, Subpart D; or	
	Yes No N/A	1
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	1651011/\(\text{\Lambda}_{\text{\Lambda}}\)	
	Section 728.132: Waste Specific Prohibitions —— California List Wastes	
728.132	Has the generator of a California List Waste land disposed the waste only after having:	
	1) been granted an adjusted standard from a prohibition pursuant to a petition under Section	728.132
	728.106 (except for liquid hazardous waste containing PCBs at concentrations greater than or	
	equal to 500 ppm which are not elegible for exemptions; or	
	Yes No N/A	
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	3) met the applicable treatment standards specified in Subpart D or, where treatment standards are	
	not specified, the wastes are in compliance with the applicable prohibitions set forth in this	
	Section or Section 728 1303	
	Yes No N/A	
	100	
		2
	(LDR-4)	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Section 728.133: Waste Specific Prohibitions — First Third Wastes	
	Has the generator of a first third waste land disposed the waste only after having:	
20.100	1) met the treatability standards of Part 728 Subpart D: or	728.133
-	Yes No N/A  2) been granted an adjusted standard pursuant to Section 728.106; or  Yes No N/A  3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	720.100
Ì	2) been granted an adjusted standard purguant to Section 728 106: or	
	Vee No N/A	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	o, book granted an extension to the encourse date of promotion particular to experience	
728.133(g)	Has the generator of a first third waste tested the waste or used knowledge of the waste to determine	
	whether it exceeds the applicable treatment standards?  Yes No N/A	728.133(g)
	Yes No N/A	
	Section 728.134: Waste Specific Prohibitions Second Third Wastes	
728.134	Has the generator of a second third waste land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.134
2-1	Yes No N/A  2) been granted an extension to the effective date of prohibition pursuant to Section 728.105; or	
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105; or	
	Yes No N/A	
	3) been granted an exemption pursuant to Section 728.106?	
	3) been granted an exemption pursuant to Section 728.106?  Yes No N/A	
728.134(i)	Has the generator of a second third hazardous waste tested the waste or used his knowledge of the	
720.134(1)	· · · · · · · · · · · · · · · · · · ·	700.4040
	waste to determine whether it exceeds the applicable treatment standards of 728.141 or 728.143?	728.134(1)
	Yes No N/A	
	Section 728.135: Waste Specific Prohibitions Third Third Wastes	
728.135	Has the generator of a third third waste land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.135
	Yes No N/A	
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A	
	3) met the applicable alternate standards established pursuant to a petition granted under Section	
	728.144; or	
	Yes No N/A	
	4) been granted an extension to the effective date of a prohibition pursuant to Section 728.105?	
	Yes No N/A V	
728.135(j)	Has the generator of a third third waste listed in 728.110, 728.111 or 728.112 tested the waste or used	
	his knowledge of the waste to determine whether it exceeds the applicable treatment standards of	728.135()
	Sections 728.141 or 728.143?	
	Yes No N/A	
	Section 728.139: Statutory Prohibitions	
728.139	Has a person caused, threatened or allowed the land disposal of any waste in violation of Section 3004	
	of RCRA?	728.139
	Yes No N/A	
	Subpart E: Prohibitions on Storage	
	Note: Except as provided in this section, the storage of hazardous wastes restricted from land disposal under Subpart C is prohibited.	
	Section 728.150: Prohibitions on Storage of Restricted Wastes	
3.150(a)(1)	The state of the s	
	such quantities as necessary to facilitate proper recovery, treatment or disposal?	728.150(a)(1)
	Yes No N/A	/ 20.100(a)(1)
	Has the generator complied with the requirements of Section 722.134?	
	Yes No N/A	
	(LDR-5)	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Note: A generator in existence on the effective date of regulation under this Part and who must store hazardous wastes for more than 90 days due to regulations under this Part becomes a TSD and must obtain a RCRA permit.	10.44011
728.150(a)(2)	Has the owner/operator of a TSD stored restricted wastes in tanks or containers solely for the accumulation of such quantities of hazardous waste to facilitate proper recovery, treatment or disposal?	728.150(a)(2)
	or disposal?  Yes No N/A	
	If yes, has the owner/operator:  A) clearly marked each container to identify its contents and the accumulation start date?  Yes No N/A	
	B) clearly marked each tank to identify its contents, recorded the quantity of each hazardous waste received and indicated the accumulation start date, all in accordance with the operating record requirements of 724.173 or 725.173?	
728 150(a) (3)	Yes No N/A Has the transporter stored manifested shipments of such wastes at a transfer facility for 10 days or less?	
	Yes No N/A	728.150(a)(3)
728.150(b)	Has the owner/operator of a TSD stored restricted wastes up to one year solely for accumulation of such quantities of hazardous waste as necessary to facilitate proper recovery, treatment or disposal?	728.150(b)
	Yes No N/A	
728.150(c)	Has the owner/operator of a TSD who has stored such wastes beyond one year proved that such storage was solely for the accumulation of such quantities of hazardous waste to facilitate proper recovery, treatment or disposal?	728.150(c)
	Yes No N/A	
	Note: If a generator's waste is exempt from a prohibition on the type of land disposal utilized for the waste (e.g. case – by – case extension, incorporated by reference or an approved petition) the prohibition in subsection (a) does not apply during the period of such exemption.	
•	Note: The prohibition in subsection (a) does not apply to hazardous wastes that meet the treatment standards (728.141, 728.142 and 728.143) or the adjusted treatment standards (728.144) or where the treatment standards have not been specified, is in compliance with the applicable prohibitions in 728.132 or 728.139.	
728.150(f)	Have liquid hazardous wastes containing PCBs at concentrations greater than 50 ppm been stored at a facility that meets the requirements of 40 CFR 261.65(b) and have they been removed from storage and treated or disposed as required by this Part within one year of the date when such wastes were first	728.150 <b>(f</b> )
	placed into storage?  Yes No N/A	
	Note: The provisions of subsection (c) do not apply to such PCB wastes prohibited under Section 728.132.	
	COMMENTS:	
/ .	(LDR-6)	

	Section I : Containers	Compliance
B.	Waste Analysis	Yes
C.	Condition of Containers	Yes
D.	Compatibility of Waste with Containers	Yes
E.	Management of Containers	Yes
F.	Inspections	Yes
G.	Containment	Yes
H.	Special Requirements for Reactive and Ignitable Waste	Yes
I.	Special Requirements for Incompatible Waste	Yes
J.	General Operating Requirements	Yes
K.	General Construction Requirements	Yes
L.	Closure	Yes
	Comments	

	Section II: Tank Systems	Compliance
B.	Waste Identification	Yes
C.	Containment	Yes
D.	General Construction Requirements	Yes
E.	General Operating Requirements	Yes .
F.	Tank System Certification	Yes
G.	Response to Leaks and Spills	Yes
H.	Inspections	Yes

I.	Reporting and Recordkeeping	Yes
J.	Special Requirements for Ignitable or Reactive Wastes	Yes
K.	Special Requirements for Incompatible Wastes	Yes
L.	Closure	Yes
	Comments	

Section VI: Standard Conditions	Compliance
General Requirements	Yes
General Facility Standards	Yes
Preparedness and Prevention	Yes
Contingency Plan	Yes
Manifest System and Recording and Recordkeeping	Yes
Land Disposal Restrictions	Yes
Closure	Yes
Comments	

.

ISEPA #: IL DOOGO8471

# WASTE DISPOSITION FORM

EPA #: 03		PUNIN												
not be skripping					On Annual Report for: (Circle if present; cross out if not present)  And of the present of the p									
WASTE FLAM,	FUEL BLENDING	EACH SHIP THENT	D00	Y	Y	© /			(F)		120,00		3/25/00	
fljaren i . Dife			Number 045			G /	F	G	F	G				
HAZARDOUS WASTE SOLID	SPENT CARBON ABSORPTION FIRE	₹ (	NUMER OUS	У	Y	(G) /	E	0	E		40 x43	VARIES	8/20/97	CALGON CATELETTS BURY, KY REBENERATION
WASTE FLAMMABLE LIGUID	LPAN WATER		U359 Dool Numes	У	Y	© _	E	0	F		10,000 9AL	30,000 9AL MO	3/19:/98	CLEAN HARBORS KIMBALL NE, INCINERATION
WASTE FLAMMABLE LIQUID	LEAN WATER		D00/ F003 NUMER	¥ 845	λ	6	F		F		5,000 9AL			
WASTE ! HI FLAMMABLE SOLID	OFF-SITE Customers		F00Z Nymeriy	4	X	(G)	E	(G)	F	G) (F	20yd <sup>3</sup>	40xd3	3/25/98	CLEAN HARBOR KIMBALL NE. INCINERATION
SPENT LEAD ACID BATTERIES	DFF SITE CUSTOMERS		Doog Dooz Dunero	y	У	<b>(3)</b>	E	G)/	1	G)/F	165		2/26/98	
WASTE COMP. CORROSIVE LIQUID	OFF SITE CUSTOMERS		DOOZ NUMERIU	y	Y	G	E		直	F	1,000 9AL	3,370 94 C MINTH	3/18/18	STABLEX QUEBEC CAUADA TREATMEN T
HAZARDOU S, WASTE Liquid	Del 3		DOOT MUME ROUS	Y	A	G	F		E	TE STATE OF THE PROPERTY OF TH		500 gal MOUTH		
WASTE, Liquid			DOOG NUMER DUS	X	Y	<b>(C)</b>	F	G) (	F		300 9AL	500 GAL MOUTH		

<sup>\*</sup> All \*NO\* res. Ses must be explained in narrative.

ACILITY Name: CLEAN HARBORS
ISEPA #: IL DOOGO8471

## WASTE DISPUSITION FORM

EPA #: 03	16000	05	1	FORM								
Here Here Gran	President	Here Co.	100 miles		Cross or	On Ani Report force at if not p	or: sent; resent)	of Government	Disposition			
NASTE DATE P TREATMENT	Constitution Const	EACH SHIP MENT	NON	11	Y	2	(C)	G	144ya 3	10,000 yd3 YR	3/25/98	COUNTY ENVIRON- MENTAL CANDRY PONTIAC, IL
SLUDGE						G	G	G F		4		
SPENT OIL	to i			Y	Y	(G)		G) (F	6,000 9AL	10,000 9AL	3/24/98	SAFETY KLEE D EAST CHICAGO, JUD RECYCLING
Non HAIZ LIQUID	OFF SITE Customers	<b>√</b>	1	Y	Y	G)/		G F	150 9AL	200 gal	3/18/95	STABLEX - QUEBEC CANADA STABILAZATION
						G	G	GF				SLANDFILL
,	,					G	GF	G F				
						G	GF	GF			,	
						G	GF	G F				
1						GF	G	G F				
	1	4.00				G /	G /	G F				

#### 0316000051 / Cook County Chicago / Cook County ILD 000 608471

Clean Harbors current activities include the storage and treatment of aqueous-based waste streams, fuel blending, and the storage, consolidation, and transfer of containerized hazardous and nonhazardous wastes including lab packs. Clean Harbors treats the aqueous waste streams in an on site waste water treatment system.

Hazardous Wastes generated by Clean Harbors are as follows:

Waste Flammable Liquids EPA H.W. Codes D001, U359 Numerous Wastes Codes generated from the fuel blending process at the rate of 10,000 gallons per day. The waste is stored in tanks and is shipped to ESSROC Materials in Logansport, IND. for use as cement kiln fuel. At the time of inspection, there were 120,000 gallons of this waste on site.

<u>Hazardous Waste Solids EPA H.W. Codes D001, U009 Numerous Waste Codes</u> generated from the carbon absorption units at varying rates. The waste is stored in containers and is shipped to Calgon of Catellettsburg Ky. for regeneration. At the time of inspection there were 40 cubic yards of this waste on site.

Waste Flammable Liquid EPA H.W. Codes F003, Numerous Waste Codes generated from off site customers as lean water at the rate of 5,000 gallons per day. The waste is stored in tanks and is shipped to Clean Harbors Baltimore, MD. for treatment and discharge to the local POTW. At the time of inspection there were 5,000 gallons of this waste on site.

Waste Flammable Liquid EPA H.W. Codes D001, U359 Numerous Waste Codes generated from off site customers as lean water at the rate of 30,000 gallons per day. The waste is shipped to Clean Harbors Kimball NE. for incineration. At the time of inspection there were 5, 000 gallons of this waste on site.

Waste Flammable Solids EPA H.W. Codes F002 Numerous Waste Codes generated from off site customers as hazardous waste debris at the rate of 40 cubic yards per week. The waste is shipped to Clean Harbors Kimball NE. for incineration. At the time of inspection there were 20 cubic yards of this waste on site.

<u>Spent Lead Acid Batteries EPA H.W. Codes D002, D008, Numerous Waste Codes</u> generated from off site customers at the rate of 20,000 lbs. per month the waste is shipped to Nova Inc. for smelting. At the time of inspection there were 15, 000 lbs. of this waste on site.

Waste Corrosive Liquid EPA H.W. Codes D002, D008 Numerous Waste Codes generated from spent lead acid batteries at the rate of 3,370 gallons per month the waste is exported to Stablex of Canada for stabilization and landfilling. At the time of inspection there were 1,000 gallons of this waste on site.

<u>Hazardous Waste Liquid (Chrome ) EPA H. W. Codes D007, Numerous Waste Codes</u> generated from off site customers at the rate of 500 gallons per month the waste is exported to Stablex of Quebec Canada for stabilization and landfilling. At the time of inspection there were 500 gallons of this waste on site.

<u>Hazardous Waste Liquid (Mercury) EPA H.W.Codes D009, Numerous Waste Codes</u> generated from off site customers at the rate 0f 500 gallons per month the waste is shipped to Stablex of Quebec, Canada for stabilization and landfilling. At the time of inspection there were 500 gallons of this waste on site.

Nonhazardous Wastes generated by Clean Harbors are as follows:

<u>Waste Water Treatment Sludge</u> generated from the waste water treatment system at the rate of 10,000 cubic yards per year. The waste is shipped to County Environmental Landfill Pontiac, IL. landfilling. The waste is stored in containers and at the time of inspection there were 44 cubic yards of this waste on site.

RCRA Empty Drums generated from the fuel blending process at the rate of 18 cubic yards per day. The waste is shipped to County Environmental Landfill. The waste is stored in containers and at the time of inspection there were 18 cubic yards of this waste on site.

Nonhazardous Waste Liquid (Nickel) generated by off site customers at the rate of 200 gallons per month. The waste is shipped to Stablex of Quebec, Canada for stabilization and landfilling.

Hazardous Waste Management Units are described as follows:

S01 Units have diked coated concrete for Secondary Containment and they are permitted to receive all of the waste listed in attachment A of the Part B Permit. The S01 Units have the following capacities:

Outside Container Storage Area Unit R1 is divided into the following bays:	Capacity
Staging Area	80 drums
Flammable Storage Area #1	160 drums
Flammable Storage Area # 2	160 drums
Oxidizer Storage Area #1	96 drums
Reactivies Storage Area #1	96 drums
Poisons Storage Area #1	96 drums
Lab Pack Pour Off Area Unit F1	8 drums
Bulk Container Storage Unit Q1	90 cubic yards
Truck Unloading and Bulking Area Unit Q	21, 000 gallons
Container Storage Building Unit 25 is divided into the following Bays:	
Alkaline / Poisons	336 drums
Acids	288 drums
PCBs / Poisons	128 drums
Ignitable Management Building Unit 26	192 drums
Container Handling Dock Unit 61	160 drums
Bulk Solids Storage Unit B	6 roll off boxes
Truck Staging Area Unit C	6 trucks
Truck Staging Area Unit 59	3 trucks

Truck Unloading Platform Unit 15	4 trucks
Truck Pad unit 62	4 trucks
Rail Car Unloading Area Unit 14	60, 000 gallons

The following S02 Units have individual coated concrete vaults for secondary containment and they are permitted to receive all of the wastes listed in attachment A of the Part B permit. The S02 units have the following capacities:

Hazardous Waste Fuel Blending Operation Unit 43	Capacity
Tank Number 161-21	12,800 gallons
Tank Number 161-22	275 gallons
Flammable Tank Storage Farm Tank 158 is composed of the following Units: TK-103, TK 104, TK - 105, TK - 109	12,800 gallons
Tank 159 is composed of the following unit: TK - 112	19,600 Gallons
Tank 177 is composed of the following units: TK- 101 and TK - 107	12, 800 gallons
Tank 180 is composed of the following Unit: TK - 102	12,800 gallons
Tank 183 is composed of the following Unit: TK - 110	12, 800 gallons
Listed Waste Storage Tanks Unit Y is composed of six Storage Tanks: TK - 121	11, 025 gallons
Listed Hazardous Waste Treatment Tanks Unit Z	
Tank 123	13, 570 gallons
Tank 137	1, 200 gallons

Tank 138	4,100 gallons
Tank 142	1, 270 gallons
Tank 149	450 gallons
Tank 150	3, 700 gallons
Tank 152	1, 330 gallons
Tank 153	2, 640 gallons

#### Notes and Observations:


Clean Harbors has completed the construction of the nonhazardous liquid (sludgy) waste mixing tub. The tub sits on a coated concrete pad with concrete curbs, the pad is sloped and has a sump for secondary containment. The tub is constructed of steel and has and has a roll off box positioned in front of it. The roll off sits on steel plates which protect the underlying coating.

The facility has also completed the construction of the loading and unloading dock (Unit V ) and the Drum Storage Expansion Unit R2. These units have diked coated concrete with sumps for secondary containment.

At the time of inspection, Clean Harbors appeared to be operating in general compliance with the Act, the Regulations, its Part B Permit, and Consent Decree.

### 031600051- COOK COUNTY CLEAN HARBORS ILD00060847/

## OF INDICATES DIRECTION OF PHOTOS



# | Illinois Environmental Protection Agency | Division of Land Pollution Control

# RCRA INSPECTION REPORT

			***************************************	
USEPA #: IL D 0 0 0 6 6	28471	IEPA #: 🕰		00051
Facility Name: CLEAN HAB	ors.		Phone #: 17	13/646-620
	STONY ISLA	ND AVE	County: Q	00/
City: CHICAGO		State:	IL	Zip: 60617
	ection Date: 918	2197	From: _ 9:	JAM TO: 12:00
Weather:				Δ.
	TYPE OF FAC	CILITY		· · · · ·
Notified As: B. T. S		Regulated As:	G.T.S	NOV , Th
LDF? NO HPV?	90-Day F/U Require	ed?:	res	Cypo 3
	TYPE OF INSI	PECTION		V.
CEI: Sampling:	Citizen Complain	: c	Closed:	_ Other:
CME/O&M: Record Review	v: Follow	-Up to Inspectio	on of:	Withdrawal:
	NON-REGULAT	ED STATUS //	A	
SQG: Claimed	Nonhandler:	Oti	ner (Specify in N	arrative):
	PART A			
Notification Date: 1	129189 , from (i	nitial or (subsec	quent) Notificatio	n.
Initial Part A Date://		Amen	ded: <u>2 1/4</u>	192
Part A Withdrawai requested:	.//	Appro	ved by (US)(IL) E	PA://
	PART 8 PERMIT	TAPPLICATION		
Part B Permit Submitted: Yor N	//	Fina	l Permit Issued:	10124194
	ENFORCES	MENT		
Has the firm been referred to	US	EPA: Y of N	//	
Illinois Attorney General: Y or N	// Cou	nty State's Attor	ney: Y c(N)_	
	ORDERS IS	SSUED	y	
CACO://	CAFO:/	_/(	Consent Decree:	2011_1_
Federal Court Order://	State Court Order:	//_	IPCB Order:	<u></u>
	TSD FACILITY ACT	TIVITY SUMMAR	Y FRIEND STICK	(P)
· · · /	/ Kred	/ /	8 7 8 10 NO	
Activity by Process Code On Par AT	W Countries	Goden Gerry Socie	Exempt per	On Annual Rep
Process Code On More	SUP ME END	- Anna	9. 1	1996 1995 199
SO1 Y Y	YV	I Y	MA	YYY
502   1   1			NA	
TO1			NA	+
T04 11			11/1	1 1 1 1
	Y Y	V	1077	V
			<del></del>	

Name CLEAN HARBOR	Name CLEAN	HARBORS'
Address 1200 CROWN COLONY		STONY ISLAND
City OGINCY	City CHICAGO	
State MA Zip 2226		Zip 60617
Phone # 6/7/849-1800	Phone # 773/2	646-6202
PERSON(S) INTERVIEWED	TITLE	PHONE #
JIM LAUBSTED	Compliance MANAGE	TER 300/146-1202
INSPECTION PARTICIPANT(S)	AGENCY/TITLE	
HARDN TAYLOR	IEPA /EPS	168/338-1900
	100	
PREPARED BY	AGENCY/TITLE	PHONE #
PREPARED BY  AARON TAYLOR	AGENCY/TITLE TEPA /EPS	PHONE #
SUMMARY OF A	TEPA /EPS	108  338-7900 ATIONS
SUMMARY OF A	TEPA /EPS	108  338-7900 ATIONS
SUMMARY OF A	TEPA /EPS	108  338-7900 ATIONS
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108  338-7900 ATIONS
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section
SUMMARY OF A	TEPA /EPS	108 338-7900 ATIONS  NIET CREST Section

**OPERATOR** 

**OWNER** 

IL 532-1835 LPC - 335 (12/89) Page 2

USEPA #: IL D	CLEAN HARBORS 000608 16000						)W	45	SIE		RM	11	UN	
Hose Hore inch	And the description Generaling	Store Friend	A PARTO OF STATE OF S	Proposio	Mosto.			/	(Clr	On Ann Report to cle if pre at if not pr	or: sent; resent	0,00	Page 100 C	Disposition
WASTE FLAMMABLE LIGUID	FUEL BLENDING	EACH	DO01 4359 Nume			G F	G	F	G F	1/2/20 day	TOO LOOK WO	al	29/97	ESSROC MATERIALS LOGANSPORT, IN. CEMENT KICN FUEL
HAZARDOUS WASTE SOLIDS	SPENT FILTERS FROM CARBON AdSORPTION UNITS		Dog I UDOG Numa	ROUS		<b>/</b>	G	F	G F	1 Nocto	2010	a1	19/97	CALCON CATELETTS BURGKY REGENERATION
WASTE FLAM. LIQUID	OFF-SITE CUSTOMERS		Dool FOO3 Nume	ROUS		G	G	F	G F	10,00 alar	20,000 april			CLEAN HARBORS BALTIMORE TREATMENT
WASTE FLAM. LIGUID	OFF-SITE CUSTOMERS	1	UZ39 Numer	10US		G	G	F	G /	1010 at	80,000 apr		*	CLEAN HARBOR KIMBALL, NEB. INCINERATION
	LEAN WATER			1		G	G	F	G / F					
0	OFF-SITE CUSTOMERS	1	DOOZ DOO& NUME	ROUS		G F	G	F	G /	5,000	5500 NO	en E		NOVA INC (CANADA) LEAD SMELTER
WASTE CORROSIVE LIGUID	OFF SITE Customers		DOOZ Nume	RDUS		GF	G	F	G F	40 days	150 drums	,		STABLEX (CANADA) TREATMENT & LANDFRY
W/W TREATMENT SUIDBE	WIW TREATMENT		NON HAZ			G F	G	F	G F	404d3	9004d3 M			COUNTY ENVIRONMENT
USEDOIL	OILY WIW TREATMENT					GF	_	F	3 / F	5,000 L	48,000 L			SAFETY KLEEN RECYCLED
USED MINERAL Sprits	PARTS CLEANE					G F	G	F	3 / F	PRIORS	2 tans.		/	CUSTOM BLENDED BECKLEN

<sup>\*</sup> All \*NO\* responses must be explained in narrative.

Facility Nar WASIE DISPUSITION CLEAN HARBORS 00060847 USEPA #: IL **FORM** IEPA #: 031600005 The state of the s Generaling Process For weste . Hose Here include not & On Annual Jas Meritarad Shiphani gen or site. White TEO Report for: (Circle if present; Onte of Last Ared Heis JSEPA NOT WORK Eross out if not present) Serendia. Proving Cite O. 810.12 .9/ Disposition EACH NO., SHIPMENT HAZ 60403 F 204031 COUNT ENVIRONMENTAL G RCRA EMPTY FUEL MO LANDFILL DRUMS BLENDING G G G G G G G G G G G G G G G G G

<sup>\*</sup> All 'NO' responses must be explained in narrative.

NOV 13 1997

Narrative Prepared by Aaron Taylor

Clean Harbors current activities include the storage and treatment of aqueous-based waste streams, fuel blending, and the storage, consolidation, and transfer of containerized hazardous and nonhazardous wastes including lab packs. Clean Harbors treats the aqueous waste streams in an on site wastewater treatment system.

Hazardous wastes generated by Clean Harbors are as follows:

Waste flammable liquids EPA H.W. # D001, U359, numerous waste codes, generated from the fuel blending process at the rate of 200,000 gallons per month. This waste is sent to ESSROC Materials, Logansport, IN. where it is used as cement kiln fuel. The waste is stored in tanks and at the time of inspection there were 200,000 gallons of this waste on site.

Hazardous waste solids EPA H.W. # D001, U009, numerous waste codes, generated from the carbon adsorption units at the rate of 20 cubic yards per month. The filters are in process until they are sent to Calgon Carbon Corporation of Catelettsburg, Ky.

Waste flammable liquid EPA H.W. # F003, numerous waste codes, generated from off site customers at the rate of 20, 000 gallons per month. The waste is sent to Clean Harbors of Baltimore for treatment and discharge to the local POTW. The waste is stored in containers and at the time of inspection there were 10, 000 gallons of waste on site.

Waste flammable liquid EPA H.W. # D001, U239, numerous waste codes, generated from off site customers as lean water at the rate of 80,000 gallons per month. The waste is shipped to Clean Harbors of Kimball, Neb. for incineration. The waste is stored in containers and at the time of inspection there were 10, 000 gallons of this waste on site.

Lead acid batteries EPA H.W. # D002, D008, numerous waste codes, generated at the rate of 5,500 lbs. per month from off site customers. The waste is exported to Nova Inc. of Canada for lead smelting.

Waste corrosive liquid EPA H.W. # D002, numerous waste codes, generated from off

site customers lead acid batteries at the rate of 150 drums per month. The waste is exported to Stablex of Canada where it is treated and landfilled. The waste is stored in containers and at the time of inspection there were 40 drums of this waste on site.

Nonhazardous wastes generated by Clean Harbors are as follows:

Wastewater treatment sludge generated from the wastewater treatment plant at the rate of 900 cubic yards per month. The waste is sent to County Environmental Landfill. The waste is stored in containers and at the time of inspection there were 40 cubic yards of this waste on site.

Used oil generated from separation of oil from wastewater at the rate of 48,000 gallons per week and it is shipped to Safety Kleen of Dolton, II. for recycling. The waste is stored in tanks and at the time of inspection there were 5,000 gallons of waste on site.

RCRA empty drums generated from the fuel blending process at the rate of 60 cubic yards per month. The waste is shipped to County Environmental Landfill. The waste is stored in containers and at the time of inspection there were 20 cubic yards of this waste on site.

Used mineral sprits generated from parts cleaning at the rate of 24 gallons per six month cycle. The waste is in process until it is shipped to Custom Blended Fuels for recycling. Clean Harbors has moved its vehicle maintenance facility off site and this is the last time this waste stream will be generated.

Hazardous Waste Units are described below:

The follwing S01 units are active and permitted to receive all of the waste codes listed in attachment A of the Part B Permit. These S01 Units all have diked, coated concrete for secondary containment and the following capacities:

#### Outside Container Storage Area (Unit R1)

This container storage unit is divided into the following bays:

Staging Area			80 drums
Flammable Storage Area #1			160 drums
Flammable Storage Area #2			160 drums
Oxidizer Storage Area # 1			96 drums
Reactivies Storage Area # 1		**	96 drums
Poisons Storage Area #1	*		96 drums

#### Lab Pack Pour -Off Area (Unit F1)

8 drums

Bulk Container Storage Area (Unit Q1)

90 cubic yards

Truck Unloading and Bulking Area (Unit Q)

21,000 gallons

Container Storage Building (Unit 25)

This S01 Unit is divided into the following bays:

Alkaline / Poisons

336 drums

Acids

288 drums

PCBs / Poisons

128 drums

Ignitable Container Management Building (Unit 26)

192 drums

Container Handling Dock (Unit 61)

160 drums

Bulk Solids Storage (Unit B)

6 roll off boxes

Truck Staging Area (Unit C)

6 trucks

Truck Staging Area (Unit 59)

3 trucks

Truck Unloading Platform (Unit 15)

4 trucks

Truck Pad (Unit 62)

4 trucks

Rail Car Unloading Area (Unit 14)

60,000 gallons

The following S02 units are active and permitted to store all of the waste codes listed in attachment A of the Part B Permit. These units all have individual coated concrete vaults for secondary containment and the following capacities:

#### Hazardous Waste Fuel Blending Operation (Unit 43)

Tank Number 161-21

1, 225 gallons

Tank Number 161-22

275 gallons

#### Flammable Tank Storage Farm (Unit 16)

Tank 158 is composed of the following five units:

TK-103, TK-104, TK-105, TK-106, TK-109

Maximum Capacity

12, 800 gallons

Tank 159 is composed of the following unit:

TK-112

**Maximum Capacity** 

19, 600 gallons

Tank 177 is composed of the following two units:

TK-101, TK-107

Maximum Capacity

12, 800 gallons

Tank 180 is composed of the following unit:

TK-102

Maximum Capacity 12,800 gallons

Tank 180 is composed of the following unit:

TK-110

Maximum Capacity 12,800 gallons

#### <u>Listed Waste Storage Tanks (Unit Y)</u>

Tank 121 is composed of six storage tanks Maximum Capacity 11,025 gallons

Tank 155 is composed of two storage tanks Maximum Capacity 11, 025 gallons

#### <u>Listed Waste Treatment Tanks (Unit Z)</u>

Tank 123	13, 570 gallons
Tank 137	1, 200 gallons
Tank 138	4, 100 gallons
Tank 142	1, 270 gallons
Tank 149	450 gallons
Tank 150	3, 770 gallons
Tank 152	1, 330 gallons
Tank 153	2, 640 gallons

#### Notes and Observations:

Clean Harbors has implemented its contingency plan several times since the last inspection in response to on site emergencies. The plan has not failed. The Continency plan has been modified to included the \*999 emergency phone number for on site celluar phones. The facility had a manifest discrepancy which was handled in accordance with the applicable regulations and the facility's Part B Permit. The facility is still awaiting USEPA approval to dismantle the old CWM incinerator.

#### List of Violations:

At the time of inspection the facility appeared to be operating in accord with the Act, the regulations, the facility's Part B Permit, and the Consent Decree.

# Part B Permit Inspection

Section I : Containers	* .	Con	npliance	
B. Waste Identification		*	Yes	
C. Condition of Containers			Yes	
D. Compatibility of Waste with Container				Yes
E. Management of Containers			Yes	
F. Inspections			Yes	
G. Containment			Yes	
H. Special Requirements for				
Reactive and Ignitable Waste			Yes	
J. General Operating Requirements			Yes	
K. General Construction Requirements			Yes	
L. Closure			Yes	

Comments:

Section II: Tank Systems		Con	npliance	
B. Waste Identification			Yes	
C. Containment and Detection of releases			Yes	
D. General Construction Requirements	e.		Yes	*
E. General Operating Requirements			Yes	
F. Tank System Certification			Yes	
G. Response to leaks and spills			Yes	
H. Inspections			Yes	
Reporting and Recordkeeping Requirement			Yes	
J. Special Requirement for Ignitable and Reactive Waste			Yes	
K. Special Requirement for Incompatible Waste				Yes
L. Closure			Yes	

Comments:

Section VI: Standard Conditions		*	-	Compliance
General Requirements	ė,			Yes
General Facility Standards			4.	Yes
Preparedness and Prevention				Yes
Continency Plan				Yes
Manifest System Recording and R	lecord	dkeeping		Yes
Closure				Yes
Land Disposal Restrictions		,		Yes

Comments:

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
	Part 722: Standards Applicable to Generators of Hazardous Waste (>1000 Kg/mo.)	ř .
	Subpart A: General	
	Section 722.111: Hazardous Waste Determination	
722.111	Has the generator correctly determined if the solid waste(s) it generates is a hazardous waste?	
	Yes_ <u> </u>	722.111
	Have hazardous wastes been identified for purposes of compliance with Part 728?	
	Yes No N/A	
808.121(a)	Has the generator correctly determined if the solid waste(s) it generates is a special waste?	
	Yes No N/A	808.121(a)
	Section 722.112: USEPA Identification Numbers	
722.112(a)	Has the generator obtained a USEPA identification number?	
722.112(c)	Yes No N/A Has the generator offered its hazardous waste only to transporters or to treatment, storage or disposal	722.112(a)
122.112(0)	facilities that have a USEPA identification number?	722.112(c)
	Yes No N/A	
	Subpart B: The Manifest	
700 100(0)	Section 722.120: General Requirements	
722.120(a)	Does the facility manifest its waste off – site?  Yes	722.120(a)
722.120(b)	Does the manifest designate a facility permitted to handle the waste?	722.120(a)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Yes No N/A	722.120(b)
722.120(d)	Has the generator shipped any waste that could not be delivered to the designated facility?	
	Yes No N/A	722.120(d)
	Section 722.121: Acquisition of Manifests	
	Has the generator used:	
722.121(a)	-an Illinois manifest for wastes designated to a facility within Illinois?	
700 101(b)	Yes No N/A	722.121(a)
722.121(b)	<ul> <li>a manifest from the State to which the manifest is designated?</li> <li>Yes NoN/A</li> </ul>	722.121(b)
	- an Illinois manifest if the State to which the waste is designated has no manifest of its own?	122.121(0)
	Yes No N/A	
	Section 722.122: Number of Copies	
722.122	Does the manifest consist of at least 6 copies?	
	Yes No N/A	722.122
	Section 722.123: Use of the Manifest	
	For each manifest reviewed, has the generator:	
722.123(a)	- signed the certificate by hand?	
	Yes No N/A	722.123(a)
	- obtained the handwritten signature and the date of acceptance by the initial transporter?	
	Yes No N/A	
	<ul> <li>retained one copy as required by Section 722.140(a)?</li> <li>Yes ∑ No N/A</li> </ul>	
	- apparently sent a copy (part 5 for the Illinois manifest) to the Agency within 2 working days?	
	Yes X No N/A	
722.123(b)	- has the generator apparently given the remaining copies to the transporter?	•
	Yes No N/A	722.123(b)
		£.
	(GEN-1)	

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
722.123(c)	- has the generator followed the procedures prescribed in Section 722.123 for manifesting bulk	~
722.123(0)	shipments of hazardous waste by rail or water?	722.123(c)
	Yes No N/A	/22.125(C)
	Subpart C: Pre-Transport Requirements	
	is there any hazardous waste ready for transport off-site?	
	Yes No N/A	
	If so, is the generator complying with the pre-transport requirements in Subpart C?	
	Yes No N/A	
	Section 722.134: Accumulation Time	
722.134(a)	Has the generator complied with the following requirements:	
,	Yes V No N/A	722.134(a)
722.134(a)(1)	A) For waste in containers, has the generator complied with the requirements of Part 725, Subpart !?	
	Yes No N/A	
	and/or	
	B) For waste in tanks, has the generator complied with the requirements of Part 725, Subpart J (except	
	Sections 725.297(c) and 725.300)?	
	Yes No N/A	
	and/or	
	C) For waste on drip pads, has the generator complied with the requirements of Part 725, Subpart W	
	and maintained the required records identified in this subsection?	
	Yes No N/A	
	and/or  D) For weets in containment buildings, has the generator complied with Bot 705. Submet DD and	
	D) For waste in containment buildings, has the generator complied with Part 725, Subpart DD and maintained the required records identified in this subsection?	•
	Yes No N/A	
1722 134(a)(2)	For waste in containers, has the generator marked and made visible for inspection on each container,	
	the date upon which accumulation began?	
×	Yes No N/A	
722.134(a)(3)	For waste in containers and tanks, has the generator marked or labeled each with the words	
	"Hazardous Waste"?	
	Yes No N/A	
722.134(a)(4)	Has the generator complied with the requirements of Part 725, Subparts C and D, and Sections	
	725.116 and 728.107(a)(4)?	
	Yes No N/A	
	Specifically, the requirements of items 1 and/or 4 above (listed by regulation) which need to be	~
	complied with are as follows:	
	Does the facility accumulate hazardous waste in containers?	
	Yes No N/A	
	If "No", go to Subpart J.	
	ve.	
*		
1		

(GEN-2)

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
	Section 728.107: Waste Analysis and Recordkeeping	
(728.107a4)	Has the generator who treats a prohibited waste in tanks or containers in order to meet the treatment	
	standards developed and followed a waste analysis plan?	
× 1.	Yes/_ No N/A	
8	Is the plan on – site?	
	Yes No N/A	
	Does the plan include a detailed physical and chemical analysis?	
	YesXNoN/A	20
	Has the plan been filed with the Agency at least 30 days prior to commencement of treatment activity?	
	Yes No N/A_X_	
	Has the generator submitted the required notification and certification that the waste meets treatment	
	standards when the waste is shipped off-site?	
	Yes No N/A	
	Subsection 722.134(c): Satellite Accumulation	
722.134(c)	is the generator who accumulates hazardous waste at or near any point of generation where wastes	
	initially accumulate and which is under the control of the operator of the process generating the waste	722.134(c)
	limiting such accumulation to 55 gallons of hazardous waste or 1 quart of acutely hazardous waste	
	marking the containers with the words "Hazardous Waste" or other words identifying the contents?	
	Yes No N/A —	
	Has the generator who accumulates more than 55 gallons of hazardous waste or 1 quart of acutely	
	hazardous waste complied with the requirements of Section 722.134(a) within 3 working days?	
	Yes No N/AX	
	If there are more than 55 gallons of hazardous waste or 1 quart of acutely hazardous waste in the	
	satellite accumulation area, are the containers marked with the date accumulation began?	
	Yes No N/A	
	During the 3 day period, is the generator continuing to comply with the requirements of Section	
	722.134(c)(1) with respect to the excess waste?	
	Yes No N/A	
	Subpart D: Recordkeeping and Reporting	
	Section 722.140: Recordkeeping	
722.140(a)	Has the generator retained for a period of 3 years:	
722.140(a)	- a copy of each signed manifest?	700 440(a)
		722.140(a)
722.140(b)	Yes No N/A Has the generator retained a copy of each Annual Report and Exception Report for a period of at least	
722.140(D)	three years from the due date of the report (March 1)?	700 ( (00)
	Yes No N/A	722.140(b)
722.140(c)	Has the generator retained for a period of 3 years:	
722.140(0)	copies of test results, waste analyses or other determinations made in accordance with Section	722.140(c)
	722.111?	722.140(0)
	Yes_ No N/A	
722.140(d)	Does a generator who is involved in any unresolved enforcement action or as requested by the Director	
,	continue to maintain the records required in subsections a) and c)?	722.140(d)
	Yes No N/A	/ LL.140(u)
700 4 44/-)	Section: 722.141: Annual Reporting	
722.141(a)	Has the generator who ships hazardous waste off-site for treatment, storage or disposal filed an annual	
	report with the Agency by March 1 for the preceding calendar year?	722.141(a)
	Yes No N/A	
	Note: If "No", or if deficiencies are noted with the annual report reviewed, contact the Planning and	
	Reporting Section.	
	4	
	(GEN – 12)	



Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
722.141(b)	Has the generator who treats, stores or disposes of hazardous waste on -site, filed an annual report	5
	with the Agency by March 1 for the preceding calendar year?	722.141(b)
	Yes No N/A	
	Section 722.142: Exception Reporting	
722.142(a)(1)	If the generator has not received a copy of the manifest from the TSD facility within 35 days of the	
	date of delivery to the transporter, has the generator contacted the transporter or the TSD facility to	722.142(a)(1)
	determine the status of the hazardous waste?	
	Yes No N/A	
722.142(a)(2)	If the generator has not received a copy of the signed manifest within 45 days of the date of delivery to	
	the transporter, has he filed an exception report with the Agency in accordance with the requirements of	722.142(a)(2)
	this Section?  Yes No N/A	
	YesNoN/A_	
	Section 722.143: Additional Reporting	
722.143	Has the generator furnished additional reports as required by the Director?  Yes No N/A	
La Cara Seri	Yes No N/A	722.143
	Subpart E: Exports of Hazardous Waste	
	Is the generator an exporter of hazardous waste?	
	Yes No N/A	
	If "Yes", has the generator complied with the requirements of Subpart E?	
	Yes No N/A	
	Subpart F: Imports of Hazardous Waste	
1	Is the generator an importer of hazardous waste?	
	If "Yes" has the generator complied with the requirements of Subport E2	
	Yes No N/A	
	Subpart G: Farmers	
	Is the generator an importer of hazardous waste?  Yes No N/A  If "Yes", has the generator complied with the requirements of Subpart F?  Yes No N/A  Subpart G: Farmers  Is the generator a farmer?  Yes No N/A  If "Yes", has the generator complied with the requirements of Subpart G?	
- 5	Yes No N/A	
	If "Yes", has the generator complied with the requirements of Subpart G?	•
	Yes No N/A	11 11 21 11
	Comments:	
302		
		1
		21 12
8		
,		
	(GEN – 13)	

	•	
Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Part 728: Land Disposal Restrictions	
	Subpart A: General	
1 1 2 1 3	Section 728.103: Dilution Prohibited as a Substitute for Treatment	
728.103(a)	Has a person diluted a restricted waste or a treatment residual of a restricted waste as a substitute for	
720.100(a)	adocusto transment?	728.103(a)
	YesNoN/A	2 1
	Note: Has any person filed for a petition to allow land disposal of wastes prohibited under Subpart C of	
	Part 728?  Yes No N/A	
	TesNO/_N/A	* .
	Section 728.104: Treatment Surface Impoundment Exemption	
728.104	Are wastes that are otherwise prohibited from land disposal under this Part being treated in a surface	
	impoundment that meets the requirements of this Section?	728.104
	Yes No N/A	
. 11	Section 728.107: Waste Analysis and Recordkeeping	
728.107(a)	Has the generator tested the waste [as specified in 728.107(a)] or used knowledge of the waste to	
	determine if the waste is restricted from land disposal?	728.107(a)
	Yes No N/A	
728.107(a)(1)	If a generator determines that its waste is restricted, has a notice been sent with each shipment that	
	includes the following information:	728.107(a)(1)
	A) USEPA Hazardous Waste Number?	
	Yes No N/A	
	B) corresponding treatment standards or a reference to the treatment standard by section or	
	applicable treatment code?  Yes No N/A	
1		
	C) manifest number associated with the shipment of waste?	
	Yes No N/A	
	D) for hazardous debris, the contaminants subject to treatment as provided by Section 728.145(b) and the following statement: "This hazardous debris is subject to the alternative treatment	
	standards of Section 728.145?"	
	Yes No N/A	
	E) waste analysis data, where available?	
	Yes No N/A	, 1
728.107(a)(2)	Has the generator of a restricted waste that meets the applicable treatment standards submitted, with	
	each shipment, a notice and certification, as specified in this Section, stating that the waste meets	728.107(a)(2
	applicable treatment standards and can be land disposed without further treatment?	
	Yes No N/A	
728.107(a)(3)	Has the generator of a restricted waste that has been exempted under Section 728.106 submitted a	
	notice, as specified in this section, with each shipment to the receiving facility, stating that the waste	728.107(a)(3
	is not prohibited from land disposal?	
700 407(-)/4)	YesX No N/A	
728.107(a)(4)	Has the generator who treats a prohibited waste in tanks or containers in order to meet the treatment	
	standards developed and followed a waste analysis plan?	728.107(a)(4
	Yes No N/A Is the plan on – site?	
	Yes No N/A	
	Does the plan include a detailed physical and chemical analysis?	
	Yes No N/A	
	Has the plan been filed with the Agency at least 30 days prior to commencement of the treatment	
	activity?	
	Yes No N/A	
	(LDB-1)	1


Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
negalation		
	Has the generator submitted the required notification and certification that the waste meets treatment	
	standards when the waste is shipped off-site?	
700 407(0)(5)	Yes No N/A  Has the generator who has determined that the waste is restricted based on the generator's	
728.107(a)(5)	knowledge and/or testing of the waste retained all supporting data used to make this	728.107(a)(5)
	determination on -site?	728.107(2)(3)
	Yes X No N/A	
728.107(a)(6)	If a generator determines, subsequent to the time of generation, that the generator is managing a	
	restricted waste which is excluded from the definition of hazardous or solid waste or exempt from RCRA,	728.107(a)(6)
	has a one-time notification stating such generation been placed in the generator's files?	
	Yes No N/A	
728.107(a)(7)		
	and other documentation produced pursuant to this Section for at least five years from the date of the	728.107(a)(7)
	latest shipment?  Yes You N/A	
700 407(=)(0)		
728.107(a)(8)	If a generator is managing a lab pack that contains waste identified in Appendix D of Part 728 and wishes to use the alternative treatment standard under Section 728.142, has the generator submitted a	728.107(a)(8)
	notice and certification to the treatment facility with each shipment in accordance with this subsection?	728.107(4)(6)
	Yes No N/A L	
728.107(a)(9)		
	and wishes to use the alternative treatment standard, has the generator submitted a notice and	728.107(a)(9)
	certification to the treatment facility with each shipment in accordance with this subsection?	• 7
	Yes No N/A	
728.107(a 10)	Has a small-quantity generator with a tolling agreement pursuant to Section 722.120(e) retained on site	
	a copy of the notification and certification of the initial waste shipment together with the tolling	728.107(a)(10)
Ī	agreement for at least 3 years after the termination or expiration of the agreement?	
709 107(b)	YesNoN/A/_	
728.107(b)	Has the treatment facility tested its waste according to the frequency specified in its waste analysis plan as required by Sections 724.113 or 725.113 and subsections (b)(1), (b)(2) and (b)(3) of this section?	728.107(b)
	Yes No N/A	726.107(5)
728.107(b)(4)	Has the treatment facility sent a notice to the land disposal facility with each shipment of waste that	
	includes the following information:	728.107(b)(4)
	A) USEPA Hazardous Waste Number?	
	Yes No N/A	
	B) corresponding treatment standards or a reference to the treatment standard by section or	
	applicable treatment code?	
	Yes No N/A	
	C) manifest number associated with the shipment of waste?  Yes No N/A	
	D) waste analysis data, where available?	
	Yes V No N/A	
728.107(b)(5)	Has the treatment facility submitted a certification, as specified in 728.107(b)(5), with each shipment of	
	hazardous waste or treatment residue to the land disposal facility?	728.107(b)(5)
-	Yes No N/A	
728.107(b)(6)	If the waste or treatment residue will be further managed at a different treatment or storage facility, is the	
	treatment facility sending the waste complying with the notice and certification requirements of Section	728.107(b)(6)
	728.107(a)?	
	Yes No N/A	
, .		
	(LDR-2)	

	- ,	
Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
98 107(b)(7)	Has the recycling facility that is making off-site shipments of recyclable materials used in a manner	
.0.107(2)(1)	constituting disposal:	728.107(b)(7)
	- submitted to the Agency a notice and certification with each shipment in accordance with	•
	728.107(b)(4) and (b)(5)?	
	Yes No N/A	92
	- kept records of the name and location of each entity receiving the hazardous waste-derived	
	product?	
	Yes No N/A	
728.107(c)	Has the owner/operator of any land disposal facility disposing of any restricted waste, except where the	
	waste being disposed of is a recyclable material used in a manner constituting disposal:	728.107(c)
	1) maintained copies of the notice and certification specified in subsection 728.107(a) or (b)?	
	Yes No N/A  2) tested the waste to ensure that it is in compliance with applicable treatment standards or	
	rohibitions?  Yes No N/A	
728.107(c)(4)	Note: If the owner/operator is disposing of any waste that is a recyclable material used in a amanner	
	constituting disposal, the owner/operator is not subject to the subsections (c)(1) and (c)(2) with	
	respect to such waste.	
728.107(d)	Has the generator or treater who first claims that their hazardous debris is excluded from the definition	
	of a hazardous waste under Section 728.103(f)(2) provided the following notification and certification:	728.107(d)
	1) a one – time notification submitted to the Agency including the following information:	
	A) the name and address of the RCRA Subtitle D facility receiving the treated debris?	
	Yes No N/A  B) a description of the hazardous debris as initially generated including the applicable USEPA	
	hazardous waste number(s)?	
	Yes No N/A	
	C) for debris excluded under Section 728.103(f)(2), the technology from Section 728, Table F?	
	Yes No N/A 🗸	
	2) Has the notification been updated if the debris is shipped to a different facility or if a different	
	technology is used to treat the debris?	
	Yes No N/A	
	3) For debris excluded under Section 728.103(f)(2), has the owner/operator of the treatment facility	
	documented and certified compliance with the treatment standards of Section 728, Table F	
	pursuant to this Subsection?  Yes No N/A	
	Section 728.109: Special Rules for Characteristic Wastes	
728.109(a)	Has the generator determined each USEPA hazardous waste code applicable to the waste in order to	
	determine the applicable treatment standards under Subpart D?	728.109(a)
	Yes No N/A	
	Note: For purposes of this Part, the waste will carry the waste code for any applicable listing under Part	
	721, Subpart D and one or more of the waste codes under Part 721, Subpart C where the waste	
2	exhibits the relevant characteristic, except in the case when the treatment standard for the	
	Subpart D waste code operates in lieu of the standard for the Subpart C waste code as specified in subsection (b).	
728.109(b)	Does the waste meet the treatment standards for all applicable listed and characteristic waste codes?	
	Yes No N/A	728.109(b)
	Note: Where a prohibited waste is both listed and characteristic, the treatment standard for the listed	
	waste code will operate in lieu of the standard for the characteristic waste code, provided that	
	the treatment standard for the listed waste includes a treatment standard for the constituent that	
	causes the waste to exhibit the characteristic.	
	(LDR-3)	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Has the generator land disposed any prohibited waste which exhibits a characteristic under Part 721,	
728.109(c)	Subpart C only if the waste complies with the treatment standards under Part 728, Subpart D (in	728.109(c)
	addition to any applicable standards determined from the initial point of generation)?	720.100(0)
	Yes No N/A	
	1) Has the generator sent the required notification and certification to the appropriate Agency for each	
728.109(d)		700 100/6
	shipment of waste that no longer exhibits the characteristic to a Subtitle D landfill?	728.109(d)
	Yes No N/A	
	Does the notification include the following information:	
	A) name and address of the non-hazardous waste facility receiving the shipment?	
	Yes No N/A	
	B) description of the waste as initially generated, including USEPA hazardous waste number(s),	
•	applicable wastewater or nonwastewater category and the subdivisions made within a waste	
	code based on waste specific criteria (such as D003, reactive cyanides)?	
	Yes No N/A	
	C) treatment standards applicable to the waste at the initial point of generation?	
	Yes No N/A	
	2) Has the certification been signed by an authorized representative and is the language stated as	
	required in Section 728.107(b)(5)(A)?	
	Yes No N/A	
	Subpart C: Prohibition on Land Disposal	
	Section 709 190: Wests Specific Drobibitions Solvent Wests	
700 400	Section 728.130: Waste Specific Prohibitions —— Solvent Wastes	
728.130	Has the generator of a spent solvent waste (F001 – F005) land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.130
	Yes No N/A	
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	Section 728.131: Waste Specific Prohibitions Dioxin-Containing Wastes	
728.131	Has the generator of a dioxin-containing waste (F020, F021, F022, F023, F026, F027 or F028) land	
	disposed the waste only after having:	728.131
	1) met the treatability standards of Part 728, Subpart D; or	
	Yes No N/A —	
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A ———————————————————————————————————	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
728.132	Section 728.132: Waste Specific Prohibitions — California List Wastes	
720.132	Has the generator of a California List Waste land disposed the waste only after having:	
	1) been granted an adjusted standard from a prohibition pursuant to a petition under Section	728.132
	728.106 (except for liquid hazardous waste containing PCBs at concentrations greater than or	
	equal to 500 ppm which are not elegible for exemptions; or	
	Yes No N/A	
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	3) met the applicable treatment standards specified in Subpart D or, where treatment standards are	
	not specified, the wastes are in compliance with the applicable prohibitions set forth in this	
	Section or Section 728.139?	
	Yes No N/A	
	,	
	(LDR-4)	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
700 100	Section 728.133: Waste Specific Prohibitions — First Third Wastes  Has the generator of a first third waste land disposed the waste only after having:	
728.133	1) met the treatability standards of Part 728, Subpart D; or	728.133
	Yes No N/A	720.100
	2) been granted an adjusted standard pursuant to Section 728.106; or	
	Yes No N/A	
	2) been granted an adjusted standard pursuant to Section 728.106; or  Yes No N/A  3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	*
	Yes No N/A	
728.133(g)	Has the generator of a first third waste tested the waste or used knowledge of the waste to determine	
	whether it exceeds the applicable treatment standards?	728.133(g)
	Yes No N/A	
	Section 728.134: Waste Specific Prohibitions Second Third Wastes	
728.134	Has the generator of a second third waste land disposed the waste only after having:	
720.104	1) met the treatability standards of Part 728, Subpart D; or	728.134
	Yes No N/A_ ←	
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105; or	
	Yes No N/A	
	3) been granted an exemption pursuant to Section 728 1062	
	Yes No N/A	
728.134(i)	Has the generator of a second third hazardous waste tested the waste or used his knowledge of the	
	waste to determine whether it exceeds the applicable treatment standards of 728.141 or 728.143?	728.134()
	Yes No N/A	
728.135	Section 728.135: Waste Specific Prohibitions — Third Third Wastes	
126.135	Has the generator of a third third waste land disposed the waste only after having:	
Γ	1) met the treatability standards of Part 728, Subpart D; or  Yes No N/A_ —	728.135
	YesNoN/A 2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A 🗸	
	3) met the applicable alternate standards established pursuant to a petition granted under Section	
	728.144; or	
	Yes NoN/A	
	4) been granted an extension to the effective date of a prohibition pursuant to Section 728.105?	
	Yes No N/A 🗸	
728.135(j)	Has the generator of a third third waste listed in 728.110, 728.111 or 728.112 tested the waste or used	
	his knowledge of the waste to determine whether it exceeds the applicable treatment standards of	728.135()
	Sections 728.141 or 728.143?	_
	Yes No N/A	
	Section 728.139: Statutory Prohibitions	
728.139	Has a person caused, threatened or allowed the land disposal of any waste in violation of Section 3004	
720.109	of RCRA?	709 190
	Yes No N/A	728.139
	,	
	Subpart E: Prohibitions on Storage	
	Note: Except as provided in this section, the storage of hazardous wastes restricted from land disposal under Subpart C is prohibited.	
	Section 728 150: Prohibitions on Storage of Bootsisted Waster	
R 150/a\/1\	Section 728.150: Prohibitions on Storage of Restricted Wastes	
3.150(a)(1)	•	
	such quantities as necessary to facilitate proper recovery, treatment or disposal?  Yes No N/A	728.150(a)(1)
	Yes No N/A  Has the generator complied with the requirements of Section 733 1343	
	Has the generator complied with the requirements of Section 722.134?  Yes No N/A	
	(LDR-5)	

	ation
Note: A generator in existence on the effective date of regulation under this Part and who must store hazardous wastes for more than 90 days due to regulations under this Part becomes a TSD and must obtain a RCRA permit.	
728.150(a) (2) Has the owner/operator of a TSD stored restricted wastes in tanks or containers solely for	TO(=) (O)
the accumulation of such quantities of hazardous waste to facilitate proper recovery, treatment or disposal?  Yes No N/A	50(11)(2)
If yes, has the owner/operator:	
A) clearly marked each container to identify its contents and the accumulation start date?  Yes  No N/A	
B) clearly marked each tank to identify its contents, recorded the quantity of each hazardous waste received and indicated the accumulation start date, all in accordance with the operating record	
requirements of 724.173 or 725.173?	
Yes NoN/A	2.0
Yes No N/A 728.1	50(2)(3)
728.150(b) Has the owner/operator of a TSD stored restricted wastes up to one year solely for accumulation of such quantities of hazardous waste as necessary to facilitate proper recovery, treatment or disposal?	150(b)
Yes No N/A	
728.150(c) Has the owner/operator of a TSD who has stored such wastes beyond one year proved that such storage was solely for the accumulation of such quantities of hazardous waste to facilitate proper 728	.150(c)
recovery treatment or disposal?	150(0)
Yes No N/A	
Note: If a generator's waste is exempt from a prohibition on the type of land disposal utilized for the waste (e.g. case-by-case extension, incorporated by reference or an approved petition) the prohibition in subsection (a) does not apply during the period of such exemption.	
Note: The prohibition in subsection (a) does not apply to hazardous wastes that meet the treatment standards (728.141, 728.142 and 728.143) or the adjusted treatment standards (728.144) or where the treatment standards have not been specified, is in compliance with the applicable prohibitions in 728.132 or 728.139.	
728.150(f) Have liquid hazardous wastes containing PCBs at concentrations greater than 50 ppm been stored at	
and treated or disposed as required by this Part within one year of the date when such wastes were first	.150(1)
placed into storage?  Yes No N/A	
Note: The provisions of subsection (c) do not apply to such PCB wastes prohibited under Section	
728.132.	
COMMENTS:	
(I DR6)	




CLEAN HABORS

\_:27A 1: 03/600005/

9/29/97 :100: 9:30 - 12:00 PHOTOGRAPH BY: AARON TAYCOR



Buck Staging area




Carlion adsorption units located outside


CLEAN HARBORS

The: 9'00 Photograph By: AARON TAKOR



Drum in Drum Storage Building Horo 1: 3





SED DIL STORACE TANKS

tol1 1: 97-067 moto 1: 5

#### ATTACHMENT A

# WASTES WHICH CAN BE ACCEPTED AND HAZARDOUS WASTE IDENTIFICATION NUMBERS

0316000051

Clean Harbors Services, Inc. RCRA Log No. B-16

Clean Harbors Services, Inc.

RCRA Log No. B-16

Hazardous Waste No.	Description of Hazardous Waste
D032	Solid waste exhibiting the characteristic of TCLP toxicity for hexachlorobenzene at 0.13 mg/l or more.
D033	Solid waste exhibiting the characteristic of TCLP toxicity for hexachlorobutadiene at 0.5 mg/l or more.
D034	Solid waste exhibiting the characteristic of TCLP toxicity for hexachloroethane at 3.0 mg/l or more.
D035	Solid waste exhibiting the characteristic of TCLP toxicity for methyl ethyl ketone at 200.0 mg/l or more.
D036	Solid waste exhibiting the characteristic of TCLP toxicity for nitrobenzene at 2.0 mg/l or more.
D039	Solid waste exhibiting the characteristic of TCLP toxicity for tetrachloroethylene at 0.7 mg/l or more.
D040	Solid waste exhibiting the characteristic of TCLP toxicity for trichloroethylene at 0.5 mg/l or more.
D041	Solid waste exhibiting the characteristic of TCLP toxicity for 2.4.5 trichlorophenol at 400.0 mg/l or more.
D042	Solid waste exhibiting the characteristic of TCLP toxicity for 2.4,6 trichlorophenol at 2.0 mg/l or more.
D043	Solid waste exhibiting the characteristic of TCLP toxicity for vinyl chloride at 0.2 mg/l or more.

### B. Hazardous Wastes from Non-Specific Sources

K062 Spent pickle liquor generated by steel finishing operations of facility within the iron and steel industry (SIC Code 331 and 332, as defined in 35 Ill. Adm. Code 720.110).

Clean Harbors Services, Inc. RCRA Log No. B-16

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
D011	Solid waste exhibiting the characteristic of TCLP toxicity for silver at 5.0 mg/l or more.
D018	Solid waste exhibiting the characteristic of TCLP toxicity for benzene at 0.5 mg/l or more.
D019	Solid waste exhibiting the characteristic of TCLP toxicity for carbon tetrachloride at 0.5 mg/l or more.
D021	Solid waste exhibiting the characteristic of TCLP toxicity for chlorobenzene at 100.0 mg/l or more.
D022	Solid waste exhibiting the characteristic of TCLP toxicity for chloroform at 6.0 mg/l or more.
D023	Solid waste exhibiting the characteristic of TCLP toxicity for o-cresol at 200.0 mg/l or more.
D024	Solid waste exhibiting the characteristic of TCLP toxicity for m-cresol at 200.0 mg/l or more.
D025	Solid waste exhibiting the characteristic of TCLP toxicity for p-cresol at 200.0 mg/l or more.
D026	Solid waste exhibiting the characteristic of TCLP toxicity for cresol at 200.0 mg/l or more.
D027	Solid waste exhibiting the characteristic of TCLP toxicity for 1,4 dichlorobenzene at 7.5 mg/l or more.
D028	Solid waste exhibiting the characteristic of TCLP toxicity for 1,2 dichloroethane at 0.5 mg/l or more.
D029	Solid waste exhibiting the characteristic of TCLP toxicity for 1.1 dichloroethylene at 0.7 mg/l or more.

Hazardous Waste No.

Description of Hazardous Waste

D043

Solid waste exhibiting the characteristic of TCLP toxicity for vinyl chloride at 0.2 mg/l or more.

#### B. Hazardous Wastes From Non-Specific Sources

F001 The following spent halogenated solvents used in degreasing:

tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, chlorinated fluorocarbons, spent solvent mixtures/blends used in degreasing, and still bottom from the recovery of these spent solvents and

spent solvent mixtures.

F002 The following spent halogenated solvents: tetrachloroethylene, methylene

chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene,

1,1,2-trichloro-1,2,2-trifluoroethane, orthodichlorobenzene,

trichlorofluoromethane, 1,1,2-trichloroethane, spent solvent mixtures and blends, and the still bottoms from the recovery of these spent solvents and spent solvent

mixtures.

F003 The following spent non-halogenated solvents: xylene, acetone, ethyl acetate,

ethyl benzene, ethyl ether, methyl isobutyl ketone, n-buryl alcohol,

cyclohexanone, methanol, spent solvent mixtures and blends, and the still bottoms

from the recovery of these spent solvents and spent solvent mixtures.

F004 The following spent non-halogenated solvents: cresols and cresylic acid,

nitrobenzene, spent solvent mixtures and blends, and still bottoms from the

recovery of these spent solvents and spent solvent mixtures.

F005 The following spent non-halogenated solvents: toluene, methyl ethyl ketone,

carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, 2-nitropropane, spent solvent mixtures and blends, and the still bottoms from the recovery of

these spent solvents and spent solvent mixtures.

F006 Wastewater treatment sludges from electroplating operations.

F007 Spent cyanide plating baths from electroplating operations.

Clean Harbors Services, Inc. RCRA Log No. B-16

Hazardous Waste No.	Description of Hazardous Waste
K008	Oven residue from the production of chrome oxide green pigments.
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead based initiating compounds.
K048	Dissolved air flotation (DAF) float from the petroleum refining industry.
K052	Tank bottoms (leaded) from the petroleum refining industry.
K060	Ammonia still lime sludge from coking operations.
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332) (as defined in 35 Ill. Adm. Code 720.110).
K069	Emission control dust/sludge from secondary lead smelting.
K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps and stabilizers containing chromium and lead.
K087	Decanter tank tar sludge from coking operations.
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.

<u>Hazardous</u>

Waste No. Description of Hazardous Waste

#### C. Hazardous Waste From Non-Specific Sources

Wastewater treatment sludges from electroplating operations except from the following processes: (1) sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.

F007<sup>(1)</sup> Spent cyanide plating bath solutions from electroplating operations.

Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.

F009<sup>(1)</sup> Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.

F010<sup>(1)</sup> Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.

F011<sup>(1)</sup> Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.

F012<sup>(1)</sup> Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process.

F019<sup>(1)</sup> Wastewater treatment sludges from the chemical conversion coating of aluminum.

The facility cannot stabilize wastes containing parameters above land ban restrictions whose BDAT as identified in the Federal Register is not based on stabilization (i.e., cyanide).

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
D012	Solid waste exhibiting the characteristic of TCLP Toxicity for Endrin at 0.02 mg/l or more.
D013	Solid Waste exhibiting the characteristic of TCLP Toxicity for Lindane at 0.4 mg/l or more.
D014	Solid Waste exhibiting the characteristic of TCLP Toxicity for Methoxychlor at 10.0 mg/l or more.
D015	Solid waste exhibiting the characteristic of TCLP Toxicity for Toxaphene at 0.5 mg/l or more.
D016	Solid waste exhibiting the characteristic of TCLP toxicity for 2,4-D at 10.0 mg/l or more.
D017	Solid waste exhibiting the characteristic of TCLP Toxicity for 2,4,5-TP (Silvex) at 1.0 mg/l or more.
D018	Solid waste exhibiting the characteristic of TCLP toxicity for benzene at 0.5 mg/l or more.
D019	Solid waste exhibiting the characteristic of TCLP toxicity for carbon tetrachloride at 0.5 mg/l or more.
D020	Solid waste exhibiting the characteristic of TCLP Toxicity for chlordane at 0.03 mg/l or more.
D021	Solid waste exhibiting the characteristic of TCLP toxicity for chlorobenzene at 100.0 mg/l or more.
D022	Solid waste exhibiting the characteristic of TCLP toxicity for chloroform at 6.0 mg/l or more.
D023	Solid waste exhibiting the characteristic of TCLP toxicity for o-cresol at 200.0 mg/l or more.

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
D036	Solid waste exhibiting the characteristic of TCLP toxicity for nitrobenzene at 2.0 mg/l or more.
D037	Solid waste exhibiting the characteristic of TCLP toxicity for pentachlorophenol at 100.0 mg/l or more.
D038	Solid waste exhibiting the characteristic of TCLP toxicity for pyridine at 5.0 mg/l or more.
D039	Solid waste exhibiting the characteristic of TCLP toxicity for tetrachloroethylene at 0.7 mg/l or more.
D040	Solid waste exhibiting the characteristic of TCLP toxicity for trichloroethylene at 0.5 mg/l or more.
D041	Solid waste exhibiting the characteristic of TCLP toxicity for 2,4,5 trichlorophenol at 400.0 mg/l or more.
D042	Solid waste exhibiting the characteristic of TCLP toxicity for 2,4,6 trichlorophenol at 2.0 mg/l or more.
D043	Solid waste exhibiting the characteristic of TCLP toxicity for vinyl chloride at 0.2 mg/l or more.

### B. Hazardous Wastes From Non-Specific Sources

The following spent halogenated solvents used in degreasing tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures and blends used in degreasing containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004 or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.

Hazardous	Desire CH - Alama Wasta
Waste No.	Description of Hazardous Waste
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.
F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.
F012	Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process.
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum.
*F020	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tri-, or tetrachlorphenol, or of intermediates used to produce their pesticide derivatives. (This listing does not include wastes from the production of Hexachlorophene from highly purified 2, 4, 5-trichlorophenol.)
*F021	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate or component in a formulating process) of pentachlorophenol, or of intermediates used to produce its derivatives.
*F022	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tetra-, penta-, or hexachlorobenzenes under alkaline conditions.
*F023	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate or component in a formulating process) of tri- and tetrachlorophenols. (This listing does not include wastes from equipment used only for the production or use of hexachlorophene from highly purified 2.4,5-trichlorophenol.)

#### Hazardous

#### Waste No. Descrip

#### Description of Hazardous Waste

F034

Wastewaters, process residuals, preservative drippage and spent formulations from wood preserving processes generated at plants that use creosote formulations. This listing does nto include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote or pentachlorophenol.

F035

Wastewaters, process residuals, preservative drippage and spent formulations from wood preserving processes generated at plants that use inorganic preservatives containing arsenic or chromium. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote or pentachlorophenol.

F037

Petroleum refinery primary oil/water/solids separation sludge -- Any sludge generated from the gravitational separation of oil/water/solids during the storage or treatment of process wastewaters and oil cooling wastewaters from petroleum refineries. Such sludges include, but are not limited to, those generated in: oil/water/solids separators; tanks and impoundments; ditches and other conveyances; sumps; and stormwater units receiving dry weather flow. Sludges generated in stormwater units that doe not receive dry weather flow, sludges generated in aggressive biological treatment units as defined in subsection (b)(2) (including sludges generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and K051 wastes are not included in this listing.

F038

Petroleum refinery secondary (emulsified) oil/water/solids separation sludge -- Any sludge or float generated from the physical or chemical separation of oil/water/solids in process wastewaters and oily cooling wastewaters from the physical or chemical separation of oil/water/solids in process wastewaters and oil cooling wastewaters from petroleum refineries. Such wastes include, but are not limited to, all sludges and floats generated in: induced air flotation (IAF) units, tanks and impoundments, and all sludges generated in DAF units. Sludges generated in stormwater units that do not receive dry weather flow, sludges generated in aggressive biological treatment units as defined in Subsection (b)(2) (including sludges generated in one or more additional units after wastewaters have ben treated in aggressive biological treatment units), F037, K048 and K051 wastes are not included in this listing.

# 0316000051 Clean Harbors S

Clean	Harb	ors	Services,	Inc.
RCRA	Log	No	. B-16	

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
K014	Bottoms from the acetontrile purification column in the production of acrylonitrile.
K015	Still bottoms from the distillation of benzyl chloride.
K016	Heavy ends or distillation residues from the production or carbon tetrachloride.
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.
K018	Heavy ends from the fractionation column in ethyl chloride production.
K019	Heavy ends of the distillation of ethylene dichloride in thylene dichloride production.
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.
K021	Aqueous spent antimony catalyst waste from fluoromethanes production.
K022	Distillation bottom tars from the production of phenol/acetone from cumene.
K023	Distillation light ends from the production of phthalic anhydride from naphthalene.
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene.
K025	Distillation bottoms from the production of phthalic anhydride from naphthalene.
K026	Stripping still tails from the production of methy ethyl pyridines.
K027	Centrifuge and distillation residues from toluene diisocyanate production.
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1.1.1-trichlorethane.
K029	Waste from the product stream stripper in the production of 1,1,1-trichloroethane.

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
K045	Spent carbon from the treatment of wastewater containing explosives.
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead based initiating compounds.
K047	Pink/red water from TNT operations.
K048	Dissolved air flotation (DAF) float from the petroleum refining industry.
K049	Slop oil emulsion solids from the petroleum refining industry.
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry.
K051	API separator sludge from the petroleum refining industry.
K052	Tank bottoms (leaded) from the petroleum refining industry.
K060	Ammonia still lime sludge from coking operations.
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332) (as defined in 35 Ill. Adm. Code 720.110).
K064	Acid plant blowdown slurry or sludge resulting from the thickening of blowdown slurry from primary copper production.
K065	Surface impoundment solids contained in and dredged from surface impoundments at primary lead smelting facilities.
K066	Sludge from treatment of process wastewater or acid plant blowdown from primary zinc production.
K069	Emission control dust/sludge from secondary lead smelting.

Hazardous	
Waste No.	Description of Hazardous Waste
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.
K098	Untreated process wastewater from the production of toxaphene.
K099	Untreated wastewater from the production of 2,4-D.
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.
K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic compounds.
K103	Process residues from aniline extraction from the production of aniline.
K104	Combined wastewater streams generated from nitrobenzene/aniline production.
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.
K106	Wastewater treatment sludge from the mercury cell process in chlorine production.
K107	Column bottoms from product separation from the production of 1.1-dimethylhydrazine (UDMH) from carboxylic acid hydrazines.
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1.1-dimethylhydrazine (UMDH) from carboxylic acid hydrazines.
K109	Spent filter cartridges from product purification from the production of 1.1-dimethylhydrazine (UMDH) from carboxylic acid hydrazines.

Hazardous	
Waste No.	Description of Hazardous Waste
K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.
K132	Spent absorbent and wastewater separator solids form the production of methyl bromide.
K136	Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.
K141	Process residues from the recovery of coal tar, including, but not listed to, tar collecting sump residues from the production of coke from coal or the recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank tar sludge from coking operations).
K142	Tar storage tank residues from the production of coke from coal or from the recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank tar sludge from coking operations).
K143	Process residues from the recovery of light oil, including, but not limited to, those generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal.
K144	Wastewater treatment sludges from light oil refining, including, but not limited to, intercepting or contamination sump sludges from the recovery of coke by-products produced from coal.
K145	Residues from napthalene collection and recovery operations from the recovery of coke by-products produced from coal.
K147	Tar storage tank residues from coal tar refining.
K148	Residues from coal tar distillation, including, but not limited to, still bottoms.
K149	Distillation bottoms from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups. [This waste does not include still bottoms from the distillation of benzyl chloride.]

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
P005	Allyl alcohol
P006	Aluminum phosphide
P007	5-(Aminomethyl)-3-isoxazolol
P008	4-Aminopyridine
P009	Ammonium picrate
P010	Arsenic acid
P011	Arsenic pentoxide
P012	Arsenic trioxide
P013	Barium cyanide
P014	Benzenethiol
P015	Beryllium dust
P016	Bis-chloromethyl) ether
P017	* Bromoacetone
P018	Brucine
P020	Dinoseb
P021	Calcium cyanide
P022	Carbon bisulfide
P023	Chloroacetaldehyde
P024	p-Chloroaniline
P026	1-(o-Chlorophenyl) thiourea
P027	3-Chloropropionitrile
P028	Benzyl chloride
P029	Copper cyanides
P030	Cyanides (soluble cyanide salts) not elsewhere specified.
P031	Cyanogen
P033	Cyanogen chloride
P034	4.6-Dinitro-o-cyclohexylphenol
P036	Dichlorophenylarsine
P037	Dieldrin
P.038	Diethylarsine
P039	Disulfoton
P040	O.O-Diethyl O-pyrazinyl phosphoro-thioate
P041	Diethyl-p-nitrophenyl phosphate
P042	Epinephrine
P043	Diisopropyl fluorophosphate
P044	Dimethoate
P045	Thiofanox

Clean Harbors Services, Inc.

RCRA Log No. B-16

Hazardous	
Waste No.	Description of Hazardous Waste
P093	N-Phenylthiourea
P094	Phorate
P095	Phosgene
P096	Phosphine
P097	Pamphur
P098	Potassium cyanide
P099	Potassium silver cyanide
P101	Propanenitrile
P102	Propargyl alcohol
P103	Selenourea
P104	Silver cyanide
P105	Sodium azide
P106	Sodium cyanide
P108	Strychnine and salts
P109	Tetraethyldithiopyrophosphate
P110	Tetraethyl lead
P111	Tetraethylpyrophosphate
P112	Tetranitromethane
P113	Thallic oxide
P114	Thallium(l) selenide
P115	Thallium(l) sulfate
P116	Thiosemicarbazide
P118	Trichloromethanethiol
P119	Vanadic acid, ammonium salt
P120	Vanadium pentoxide
P121	Zinc cyanide
P122	Zinc phosphide
P123	Toxaphene
*P127	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-, methylcarbamate
*P128	Phenol, 4-(dimethylamino)-3.5-dimethyl-, methylcarbamate (ester)
*P185	1.3-Dithiolane-2-carboxaldehyde, 2.4-dimethyl
	0-[(methylamino)carbonyl]oxime
*P188	Benzoic acid, 2-hydroxy, compound with (3aS-cis)-
	1.2.3.3a.8.8a-hexahydro-1,3a,8-trimethylpyrrolo
	[2.3-b]indol-5-yl methylcarbamate ester (1:1)
*P189	Carbamic acid, [(dibutylamino)thos]methyl-,
	2.3-dihydro-2,2-dimethyl-7-benzofuranyl ester

Hazardous	
Waste No.	Description of Hazardous Waste
U011	Amitrole
U012	Aniline
U014	Auramine
U015	Azaserine
U016	Benz(c)acridine
U017	Benzal chloride
U018	Benz(a)anthracene
U019	Benzene
U020	Benzenesulfonyl chloride
U021	Benzidine
U022	Benzo(a)pyrene
U023	Benzotrichloride
U024	Bis(2-chloroethyoxy) methane
U025	Dichloroethyl ether
U026	Chloronaphazine
U027	Bis(2-chloroisopropyl) ether
U028	Bis(2-ethylhexyl) phthalate
U029	Bethyl bromide
U030	Benzene, 1-bromo-4-phenoxy-
U031	N-Butyl alcohol
· U032	Calcium chromate
U033	Carbonyl fluoride
U034	Chloral
U035	Chlorambucil
U036	Chlordane, technical
U037	Chlorobenzene
U038	Ethyl 4.4'-dichlorobenzilate
U039	4-Chloro-m-cresol
U041	1-Chloro-2,3-epoxypropane
U042	2-Chloroethyl vinyl ether
U043	Vinyl chloride
U044	Chloroform
U045	Methyl chloride
U046	Chloromethyl methyl ether
U047	beta-Chloronaphthalene
U048	o-Chlorophenol
U049	Benzenamine, 4-chloro-2-methyl-

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
U089	Diethylstilbestrol
U090	Dihydrosafrole
U091	3.3'-Dimethoxybenzidine
U092	Dimethylamine
U093	Dimethylaminoazobenzene
U094	7,12-Dimethylbenz[a]anthracene
U095	3.3'-Dimethylbenzidine
U096	Alpha,alpha-Dimethylbenzyhlydro-peroxide
U097	Dimethylcarbamoyl chloride
U098	1,1-Dimethylhydrazine
U099	1,2-Dimethylhydrazine
U101	2,4-Dimethylphenol
U102	Dimethyl phthalate
U103	Dimethyl sulfate
U105	2.4-Dinitrotoluene
U106	2.6-Dinitrotoluene
U107	Di-n-octyl phthalate
U108	1.4-Dioxane
U109	1.2-Diphenylhydrazine
U110	Dipropylamine
U111	Di-N-propylnitrosamine
U112	Ethyl acetate
U113	Ethyl acrylate
U114	Ethylenebis(dithiocarbamic acid), salts and esters
U115	Ethylene oxide
U116	Ethylene thiourea
U117	Ethyl ether
U118	Ethyl methacrylate
U119	Ethyl methanseulfonate
U120	Fluoranthene
U121	Metane, trichlorofluoro-
U122	Formaldehyde
U123	Formic acid
U124	Furan
U125	Furfural
U126	Glycidylaldehyde
U127	Hexachlorobenzene

<u>Hazardous</u> <u>Waste No.</u>	Description of Hazardous Waste
U166	1.4-Naphthalenedione
U167	1-Naphthylamine
U168	2-Naphthylamine
U169	Nitrobenzene
U170	p-Nitrophenol
U171	2-Nitropropane
U172	N-Nitrosodi-n-butylamine
U173	N-Nitrosodiethanolamine
U174	N-Nitrosodiethylamine
U176	N-Nitroso-N-ethylurea
U177	N-Nitroso-N-methylurea
U178	N-Nitroso-N-methylurethane
U179	N-Nitrosopiperidine
U180	Nitrosopyrrolidine
U181	5-Nitro-o-toluidine
U182	Paraldehyde
U183	Pentachlorobenzene
U184	Pentachloroethane
U185	Pentachloronitrobenzene
U186	1.3-Pentadiene
U187	Phenacetin .
U188	Phenol
U189	Phosphorous sulfide
U190	Phthalic anhydride
U191	Pyridine, 2-methyl-
U192	Pronamide
U193	1.3-Propane sultone
U194	1-Propanamine
U196	Pyridine
U197	p-Benzoquinon
U200	Reserpine
U201	Resorcinol
U202	Saccharin and salts
U203	Safrole
U204	Selenium dioxide
U205	Selenium disulfide
U206	Streptozotocin

Hazardous	
Waste No.	Description of Hazardous Waste
waste No.	Description of Hazardous waste
U207	1,2,4,5-Tetrachlorobenzene
U208	1,1,1,2,-Tetrachloroethane
U209	1,1,2,2,-Tetrachloroethane
U210	Tetrachloroethylene
	Carbon tetrachloride
U211	
U213	Tetrahydrofuran
U214	Thallium(l) acetate
U215	Thallium(l) carbonate
U216	Thallium(l) chloride
U217	Thallium(l) nitrate
U218	Thioacetamide
U219	Thiourea
U220	Toluene
U221	Toluenediamine
U222	o-Toluidine hydrochloride
U223	Toluene hydrochloride
U225	Bromoform
U226	1,1,1-Trichloroethane
U227	1,1,2-Trichloroethane
U228	Trichloroethene
U234	sym-Trinitrobenzene
U235	Tris(2.3-dibromopropyl) phosphate
U236	Trypan blue
U237	Uracil mustard
U238	Ethyl carbarmate (urethan)
U239	Xylene
U240	2.3-D, salts and esters
U243	Hexachloropropene
U244	Thiram
U246	Bromine cyanide
U247	Methoxychlor
U248 '	Warfarin, when present at concentrations of 0.3% or less
U249	Zinc phosphide, when present at concentrations of 10% or less
*U271	Carbamic acid, [1-[(butylamino)carbonyl]-1H-
	benzimidazol-2-yl]-, methyl ester
*U277	Carbamodithioic acid, diethyl-, 2-chloro-2-propenyl ester
*U278	1,3-Benzodioxol-4-ol, 2,2-dimethyl-, methyl carbamate

### 0316000051 Clean Harbors Services, Inc. RCRA Log No. B-16

<u>Hazardous</u>	
Waste No.	Description of Hazardous Waste
*U402	Thioperoxydicarbonic diamide, tetrabutyl
*U403	Thioperoxydicarbonic diamide, tetraethyl
U404	Ethanamine, N,N-diethyl-
*U407	Zinc, bis(diethylcarbamodithioato-S,S')-
*U409	Carbamic acid, [1,2-phenylenebis(iminocarbonothioyl)]bis,
	dimethyl ester
*U410	Ethanimidothioc acid, N,N'-
	[thiobis(methylimimo)carbonyloxy]bis-,dimethyl ester
*U411	Phenol, 2-(1-methylethoxy)-, methylcarbamate
	•

WRW:bjh\963202S.WPD

<sup>\*</sup>These hazardous waste codes are permitted only for storage and transfer, not fuel blending.

# Illinois Environmental Protection Agency Division of Land Pollution Control

-- --- 1894

# RCRA INSPECTION REPORT

USEPA#: IL <u>D 00 0 6 0 8 4 7 1</u>   IEPA #: <u>0 3 L 6 0 0 0 5 L</u>
Facility Name: CLEAN HARBORS Phone #: 312/646-6202
Street Address: 11800 S. STONY ISLAND County: COOK
City: CHICAGO State: IL Zip: 60426
Region: 2 Inspection Date: 3 1 15 196 From: 10: 10: 10: 18m
Weather: CLEAR, SUNNY APPROX. 40°F
TYPE OF FACILITY
Notified As: G, T,S. Regulated As: B, T,S.
LDF? NO HPV? NO 90-Day F/U Required?: YES NO _X
TYPE OF INSPECTION
CEI: Sampling: Citizen Complaint: Closed: Other:
CME/O&M: Record Review: Follow-Up to Inspection of: Withdrawal:
NON-REGULATED STATUS NA-
SQG: Other (Specify in Narrative):
PARTA NA
Notification Date: 7 / 29 / 89, from (initial) or (subsequent) Notification.
Initial Part A Date: 4 / 3 / 82 Amended: 2 / 14 / 92
Part A Withdrawai requested:// Approved by (US)(IL) EPA://
PART B PERMIT APPLICATION
Part B Permit Submitted: Y or N// Final Permit Issued: 10 124 194
ENFORCEMENT NA
Has the firm been referred to - USEPA: Y or N / /
Illinois Attorney General: Y or N/County State's Attorney: Y or N/
ORDERS ISSUED NA
CACO://
Federal Court Order:/ / State Court Order:/ / IPCB Order://
TSD FACILITY ACTIVITY SUMMARY
Activity by Process Code On Park AT Mark Conduction Was First Or AT COMPANY OF THE TOTAL TOTAL COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE OF THE PROCESS CODE ON PARK TOTAL WAS FIRST COMPANY OF THE PROCESS CODE OF THE
Activity by Process Code On Part All Activity Day 1994 199
SOI V Y Y N Y NA Y Y Y
SOZ Y Y Y N Y Y Y Y
TO1 Y Y Y N Y   Y Y Y
TO4   Y   Y   N   Y   V   Y   Y   Y   Y   Y   Y   Y   Y
RECEIV.
1 1996 · 1996
IEPA-DLPC
TEVA-LILA

**OPERATOR OWNER** HARBORS Name Name CLEAN HARBOR CLEAN Address Address 11800 STONY ISLAND 1200 CROWN COLON' City City QUINCY CHICAGO State Zip State 22269 60617 mAPhone # Phone # 249-1800 PERSON(S) INTERVIEWED TITLE PHONE # MANAGER JIM LAUBSTEAD Compliance 6202 INSPECTION PARTICIPANT(S) PHONE # AGENCY/TITLE 308/338-7900 AARON TAYLOR IEPA/EPS GIND BRUNI AGÉNCY/TITLE PREPARED BY PHONE # 708/338-790 AARON TAYLOR IEPA/EPS SUMMARY OF APPARENT VIOLATIONS Section Section Section

	4		and the same of th	
				40
	1			(2),
			Q	D. 1/60.
	Ī			S ON
				TEDA.
	1			TE.
	Ī			
	]	1		
	Ī			
IL 532-1835	-			

Facility Name: SLEAN HARBORS
USEPA#: IL DOOG 608471

# FORM

IEPA #: 03	16000	05	1.					FU	TIVI,		
Mara Hara Inch	a sight			More .		\ <u>\</u>	Cross or	On Ani Report force if pre at if not p	or: esent;	od Gorandior	Disposition
WASTE COMBUSTIBLE	PARTS CLEANER	EACH	0039		G F	<u> </u>	G F	122006	Tei	1/12/96	10
WASTE FLANMAS	E WASTE FROM CARBON Adsorption	·	U226 D002		G F	<u></u>	<u> </u>				
	System AND OFF-SITE LEAN WATER		Numbroys Waste Codes		G F	G F	G F	NONE	4 drums	2/20/96	CLEAN HARBORS TECHNOLOGIES FOR INCINERATION
WASTE PLAMMOBLE LIQUID	Fuel Blending		U122 DOO1 DOO5		G F	G F	G /	25,000 9AL	5,000 9AL 0AY	3/01/	ESSROC MATERIALS CEMENT KILN
•			DOO 7 NUMEROUS WASTE		G F	G F	G /				FUEL
	RECEIVED		Codes		G F	G F	G /				
WASTE FLAMMABLE LiquiD	FUEL 1996  BLEN-DLPC		F005 D001 D002		G F	G F	G /				
			Numerous Waste Code's		G F	G F	G /	<b>V</b>	$\downarrow$	3/13/96	LONE STAR INDUSTRIES CEMENT KILN FUEL
HAZARDOUS WASTE SOLIDS	BULKING OF HAZARDOUS SOUD		K050 Numerous Waste co	des	G F	G F	G F	40xis	20 cubic YOS QWEEKS	3/4/96	CWM OF INDIANA STABLEZATION & LANDFILL
Waste Hg Yanufactured Article S	Hg light Buc8,5		Doog	·	G F	G F	G F	151bs	1/2 TON MONTH		Hy TECHNOLOGIES OF MINN. RECYCLE

<sup>\*</sup> All \*NO\* responses must be explained in narrative.

WASTE DISPOSITION Facility Name: ELEAN HARBORS D000608471 USEPA #: IL **FORM** 600005 IEPA #: 03 The state of the s Gereraing Process For weste . Hosto Hono includo not & On Annual gen or site. Min for Ison Jan Maritadad Shioman Report for: (Circle if present; One of Lest Arrelysis JSEPA HEZ WASTO cross out if not present) Refe of Generation Propho cke 0,810,5 · 3 .49' Disposition FOOT G 1,000 GALS 124/96 LANDFILLING EACH 200 WASTE 9ALS GENERATED 000 SAIPMENT YR CYANIDIE DOTE FROM OFF-STABLEY OF CANADA SOLUTIONS, SITE G NUMEROUS HAZARDOUS WASTECODES WASTE INDRYANIC G G CYANIDE, HAZARDOUS WASTE SOLIDS G G G G G G G G G G

<sup>\*</sup> All 'NO' responses must be explained in narrative.

Facility Name: CLEAN HARBORS
USEPA #: IL DOODBO8471

# WASTE DISPOSITION FORM

IEPA #: 03	16000	05	1					FUI	4/VI		
Hera Here Included				or of or			(Clr.	On Ann Report fo cle if pres t if not pr	or: sent; esent)	of Constitution	Maritas and Skingman.  Disposition
NON-HAZARD METAL HYDR	ous ww	WACH			G F	G/	G/	38yd3	22 yd 3 day	3/14/96	COUNTY ENVIRONMENTAL LANDFILL
Subge	,				G F	G F	G F		J		
RCRA EMPTY	FUEL BLENDING				G F	G F	G F	lDyd <sup>3</sup>	20x43	3/14/96	WOODLAND RECYCLING AND DISPOSAL
Drums					G F	G F	G F				LI HOUT ICC
NON HAZARI COMBUSTIBL					G F	G F	G F	10,000 9AL,	3,000 94L day	3/01/96	CLEAN HARBORS TECHNOLOGIES
Liquids					G F	G F	G F				TROTRENTITION
NON-HAZ POLYMERS	BULKING OF DRUMS				G F	G F	G F	NONE	10xd3 WK	3/12/96	COUNTY LANDFILL
AND RESINS					G F		G F				
					G F	G F	G F				
					G F	G F	G F				
4.44.440											

All "NO" responses must be explained in narrative.

Narrative Prepared By : Aaron Taylor

#### NARRATIVE

Clean Harbors current activities include the storage and treatment of aqueous based waste streams, fuel blending, and the storage, consolidation, and transfer of containerized hazardous and nonhazardous wastes including lab packs. Clean Harbors treats the aqueous based waste streams in an on-site wastewater treatment system.

Hazardous wastes generated by Clean Harbors are as follows:

Waste Combustible Liquid EPA H.W. #D008, D039, D018 is generated by parts cleaning at the rate of 22 gallons on a 3 month cycle. The waste is hauled to Safety Kleen for recycling. At the time of inspection there were 22 gallons of this material in process.

Waste Flammable Liquid EPA H.W.# D001, D005, U226, numerous waste codes. This waste is generated from the carbon system and off-site lean water at the rate of 4 drums per year. The waste is shipped to Clean Harbors Technologies for incineration. The waste is stored in containers and at the time of inspection there none of this waste on site.

Waste Flammable Liquid EPA H.W.# D001, D005, D007, U122, numerous waste codes. This waste is generated from the blending of hazardous waste fuel for use in cement kilns at the rate of 5,000 gallons per day. The waste is shipped to ESSROC MATERIALS for use as cement kiln fuel. At the time of inspection there were 25,000 gallon of this material on site. The waste is stored in tanks.

Waste Flammable Liquid EPA H.W.#D001,D002, F005, numerous waste codes. This waste is generated from the blending of Hazardous Waste fuel at the rate of 5,000 gallon per day nad the waste is shipped to Lone Star Industries for use as cement kiln fuel. The waste is stored in tanks and at the time of inspection there were 25,000 gallons of this waste on site.

Hazardous Waste Solids EPA H.W.# K050, numerous waste codes. This waste is generated from the bulking of hazarous waste solids at the rate 20 cubic yards per two week cycle and it is shipped to CWM Indiana for stabilization and landfilling. The waste is stored in containers and at the time of inspection there were two 20 cubic yard roll-off boxes of waste on site.

RECEIVED

Mercury Contaminated Manufactured Products EPA H.W.# D009. This waste is generated as burned out mercury light bulbs at the rate 1/2 ton per month and it is shipped to Mercury Technologies of Minnesota for recycling. The waste is stored in containers and at the time of inspection there were 15 lbs. of this waste on site.

Waste Cyanide Soloutions, Waste Organic Cyanide, Hazardous Waste Solids, EPA H.W.# F007, D002, D007, numerous hazardous waste codes generated from off-site for treatment and disposal at the rate of 1,000 gallons per year. The waste is shipped to Stablex of Cananda for treatment and landfilling.

Nonhazardous wastes generated by Clean Harbors are as follows:

Nonhazardous metal hydroxide sludge generated from waste water treatment at the rate of 22 cubic yards per day. The waste is shipped on a monthly basis to County Environmental Landfill for disposal. at the time of inspection there were 38 cubic yards of waste on site. The waste is accumulated in roll-off boxes.

Nonhazardous polymers and resins generated from bulking drums at he rate of 10 cubic yards per week. The waste is shipped to County Environment Landfill on a monthly basis for dispos 1. At the time of inspection there was 10 cubic yards of waste on site. The waste is accumulted in roll-off boxes.

RCRA empty drums from the fuel blending process generated at the rate of 20 cubic yards per day. The waste is shipped to Woodland Recycling and Disposal for landfilling.

Combustible Liquids from the separation of oily wastewaters generated at the rate of 3,000 gallon per week. The waste is shipped to Clean Harbors Technologies for incineration.

Hazardous Waste Units are described as below:

The S01 units are permitted to received all of the waste codes listed in attachment A of the Part B permit. The S01 units all have diked, coated concrete for secondary containment and the following capacities:

#### Outside Container Storage Area (Unit R1)

Is divided into the following Bays:

Staging Area		80	drums
Flammable Storage Area	#1	160	drums
Flammable Storage Area	#2	160	drums
Oxidizers Storage	#1	96	drums
Reactives Storage	#1	96	drums
Poisions Storages	#1	96	drums

#### Lab Pack Pour-Off Area (Unit F1)

Capacity

8 drums

#### Bulk Container Storage Area (Unit Q1)

Capacity

90 cubic yards

#### Truck Unloading Area And Bulking Area (Unit Q)

Capacity

21,600 gallons

#### Container Storage Building (Unit 25)

This S01 unit is divided into the following Bays:

Alkaline/Poisions 336 drums Acids 288 drums PCBs/Poisions 128 drums

#### Ignitable Conatiner Management Building (Unit 26)

Capacity

192 drums

#### Container Handling Dock (Unit 61)

Capacity

160 drums

Bulk Solids Storage (Unit B)

Capacity

6 Roll-Off Boxes

Truck Staging Area (Unit C)

Capacity

6 trucks

Truck Staging Area (Unit 59)

Capacity

3 trucks

Truck Unloading Platform (Unit 15)

Capacity

2 trucks

Truck Pad (Unit 62)

Capacity

4 trucks

Rail Car Unloading Area (Unit 14)

Capacity

60,000 gallons

The following S02 units are permitted to accept all of the Hazirdous waste codes listed in attachment A of the facility's Part B permit. The S02 units have coated concrete vault for secondary containment and the following capacities:

<u>Hazardous Waste Fuel Blending Operation (Unit 43)</u>

Tank Number 161-21 Tank Number 161-22 capacity 1,225 gallons

capacity 275 gallons

Flammable Storage Tank Farm (Unit 16)

Tank Number 158 Is comprised of the following (5) Units

Maximum Capacity 12,800 gallons

TK-103 TK-104

TK-105

TK-106

TK-109

#### Tank Number 158 is comprised of the following Unit

TK-112

Maximum Capacity 19,600 gallons

#### Tank Number 177 is comprised of the following (2) units

TK-101

Maximum Capacity

TK-107

12,800 gallons

#### Tank Number 180 is comprised of the following unit

TK-102

Maximum Capacity 12,800 gallons

#### Tank Number 183 is comprised of the following unit

TK-110

Maximum Capacity 12,800 gallons

#### Relavant Notes and Observations

Clean Harbors is currently seeking approval to place satellite accumulation areas within some of its RCRA regulated units. These units are the tank farm Unit 16, the Tanker truck unloading pad, Units B & C the truck unloading pad, and the rail car tank unloading pad.

According to the permits section, the closure plan for the CWM incinerator was approved on January 25, 1996.

#### Lists of Violations

At the time of inspection no apparent violations were observed.

### RCRA PART B INSPECTION

SE	CTION I: Containers	Complia	ance
В.	Waste Identification	Y	
C.	Condition of Containers	Y	
D.	Compatibility of Waste With Containers	Y	
Ε.	Management of Containers	Y	
F.	Inspections	Y	
G.	Containment	Y	
н.	Special Requirements Ignitable or Reactive Waste	Y	
I.	Special Requirements for Incompatible Waste	Y	
J.	General Operating Requirements	Y	
K.	General Construction Requirements	Y	
L.	Closure	Y	

#### COMMENTS:

SE	CTION II: TANK SYSTEMS	Compliance
в.	Waste Identification	Y
C.	Containment and Detection of Releases	Y
D.	General Construction Requirements	Y
E.	General Operating Requirements	Y
F.	Tank System Certification	Y
G.	Response to Leaks or Spills	Y
Н.	Inspections	Y
I.	Reporting and Recordkeeping	Y
J.	Special Requirements for Ignitable or Reactive Wastes	Y
К.	Special Requirements for Incompatible wastes	Y
L.	Closure	Y


#### COMMENTS:

APR 01 1996

RPA-DLPC

SECTION VI: STANDARD CONDITIONS	Compliance
General Requirements	Y
General Facility Standards	Y
Preparedness and Prevention	Y
Contingency Plan	Y
Manifest System Record keeping and Reporting	Y
Closure	Y
Land Disposal Restrictions	Y

#### COMMENTS:



Regulation	RCRA PERMIT INSPECTION CHECKLIST (PART 703)	Violation
	Part 703: RCRA Permit Program	
,	Subpart B: Prohibitions	
	Section 703.121: RCRA Permits	
703.121(a)	is any person(s) conducting any hazardous waste treatment, hazardous waste storage	
	or hazardous waste disposal operation doing so only:	703.121(a)
	1) With a RCRA permit?	
	Yes X No N/A	
	2) In conformance with all conditions imposed by a RCRA permit?  Yes No N/A	
703.121(b)	Do the owner and operator of HWM units have permits during the active life of the unit including	703.121(b)
	closure and post-closure periods?  Yes No N/A	703.121(0)
:		
	Subpart C: Authorization by Rule and Interim Status	
	Section 703.150: Applications by Existing HWM Facilities and Interim Status Qualifications	
703.150(a)	Has the owner or operator of an existing HWM facility submitted a Part A permit application within the	
	required time frame? Yes No N/A_X_	703.150(a)
	Section 703.151: Application by New HWM Facilities	
703.151(a)	Has the facility submitted Part A and Part B of the permit application 180 days before the physical	703.151(a)
	construction of the facility has commenced?	/03.151(a)
	Yes No N/A	
,	Note: This violation should be cited in a Notice of Violation (NOV) only after approval from	
	headquarters.	
	Section 703.152: Amended Part A Application	
	Has the owner or operator of a HWM facility with interim status filed an amended Part A permit application with the Agency when:	
703.152(a)(1)		
(,,,,,	Yes No N/A X	703.152(a)(
	The facility has a process change or a change in design capacity?	
	Yes No N/A	
703.152(a)(2)		700 450(0)
	Status?  Yes No N/A_X	703.152(a)(
	•	
	Note: The owner or operator of a facility who fails to comply with the updating requirements of this	
	Section does not receive interim status for the waste not filed on the Part A.	
700 151	Section 703.154: Prohibitions During Interim Status	
703.154	During interim status, has the facility:  a) treated, stored or disposed of hazardous wastes not specified in Part A of the permit application?	703.154
	Yes No N/A_X_	700.104
	b) only employed processes specified in Part A of the permit application?	
i i	Yes No N/A	
	c) exceeded the design capacity specified in Part A of the permit application?	
	Yes No N/A_X	را
i	Section 703.155: Changes During Interim Status	7
703.155	Did the owner or operator submit an amended Part A permit application not later than 90 days prior to	<u> </u>
	Section 703.155: Changes During Interim Status  Did the owner or operator submit an amended Part A permit application not later than 90 days prior to changes in operational control or ownership of the facility?  Yes No N/A	703.15
	Yes No N/A C	
ž.		
	apparent non-compliance with this Section.  (PER-1)	
	(FER-1)	

•

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
	Part 722. Standards Applicable to Generators of Hazardous Waste (>1000 Kg/mo.)	
	Subpart A: General	
	Section 722.111: Hazardous Waste Determination	
722.111	Has the generator correctly determined if the solid waste(s) it generates is a hazardous waste?	
	Yes_X No N/A	722.111
	Have hazardous wastes been identified for purposes of compliance with Part 728?  Yes X No N/A	
308.121	Has the generator correctly determined if the solid waste(s) it generates is a special waste?	
	Yes No N/A	808.121
	Section 722.112: USEPA Identification Numbers	
722.112(a)	Has the generator obtained a USEPA identification number?	
	Yes No N/A	722.112(a)
722.112(c)	Has the generator offered its hazardous waste only to transporters or to treatment, storage or disposal	
	facilities that have a USEPA identification number?  Yes No N/A	722.112(c)
	Subpart B: The Manifest	
700 100(a)	Section 722.120: General Requirements	
722.120(a)	Does the facility manifest its waste off-site?  Yes X  No  N/A	722.120(a)
	If "No", proceed to Section 722.120(e).	/22.120(a)
722.120(b)	Does the manifest designate a facility permitted to handle the waste?	
122.120(5)	Yes X No N/A	722.120(b)
722.120(d)	Has the generator shipped any waste that could not be delivered to the designated facility?	
	Yes No N/A_X_	722.120(d)
	Section 722.121: Acquisition of Manifests	
	Has the generator used:	
722.121(a)	- an Illinois manifest for wastes designated to a facility within Illinois?	700 404(1)
722.121(b)	Yes X No N/A N/A ———————————————————————————————	722.121(a)
	Yes No N/A	722.121(b)
	- an Illinois manifest if the State to which the waste is designated has no manifest of its own?	
	Yes No N/A_X	
	Section 722.122: Number of Copies	
722.122	Does the manifest consist of at least 6 copies?	
	Yes No N/A	722.122
	Section 722.123: Use of the Manifest	
700 100(=)	For each manifest reviewed, has the generator:	
722.123(a)	<ul> <li>− signed the certificate by hand?</li> <li>Yes X No N/A</li> </ul>	700 102(a)
	Yes X No N/A N/A — obtained the handwritten signature and the date of acceptance by the initial transporter?	722.123(a)
	YesXNo N/A	
	- retained one copy as required by Section 722.140(a)?	
	Yes_X No N/A	
	- apparently sent a copy (part 5 for the Illinois manifest) to the Agency within 2 working days?	
722.123(b)	YesX No N/A  - has the generator apparently given the remaining copies to the transporter?	
(-)	Yes X No N/A	722.123(b)

(GEN-1)

Regulation	RCRA GENERATOR INSPECTION CHECKLIST (PART 722)	Violation
2.123(c)		
	snipments of hazardous waste by rail or water?	722.123(c)
	Yes_XNoN/A	
	Subpart C: Pre-Transport Requirements	
	Is there any hazardous waste ready for transport off—site?	
	Yes No N/A_X	
	If so, is the generator complying with the pre-transport requirements in Subpart C?  Yes No N/A	
	Yes No N/A	
	Section 722.134: Accumulation Time	
722.134(a)	Has the generator complied with the following requirements:	
	Has the generator complied with the following requirements:  Yes No N/A	722.134(a)
722.134(a)(1)	For waste in containers, has the generator complied with the requirements of Part 725, Subpart !?	
	Yes_X_ No N/A	
	and/or	
	For waste in tanks, has the generator complied with the requirements of Part 725, Subpart J (except	
	Sections 725.297(c) and 725.300)?  Yes No N/A	
700 104(0)(0)	For waste in containers, has the generator marked and made visible for inspection on each container,	
722.134(a)(2)	the date upon which accumulation began?	
	Yes No N/A	
722.134(a)(3)	For waste in containers and tanks, has the generator marked or labeled each with the words	
	"Hazardous Waste"?	
	Yes No N/A	
722.134(a)(4)	Has the generator complied with the requirements of Part 725, Subparts C and D, and Sections	
	725.116 and 728.107(a)(4)?	
	Yes No N/A	
	Specifically, the requirements of items 1 and/or 4 above (listed by regulation) which need to be	
0	complied with are as follows:	
	Does the facility accumulate hazardous waste in containers?	-
	Yes No N/A	
	If "No", go to Subpart J.	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Part 728: Land Disposal Restrictions	
2	Subpart A: General	
	Section 728.103: Dilution Prohibited as a Substitute for Treatment  Has a person diluted a restricted waste or a treatment residual of a restricted waste as a substitute for	
	adequate treatment?  Yes No N/A_X	728.103(a)
	Note: Has any person filed for a petition to allow land disposal of wastes prohibited under Subpart C of Part 728?	
	Yes No N/A	
	Section 728.104: Treatment Surface Impoundment Exemption	
728.104	Are wastes that are otherwise prohibited from land disposal under this Part being treated in a surface	
	impoundment that meets the requirements of this Section?	728.104
	Yes No N/A	
	Section 728.107: Waste Analysis and Recordkeeping	
728.107(a)	Has the generator tested the waste [as specified in 728.107(a)] or used knowledge of the waste to	700 407(-)
	determine if the waste is restricted from land disposal?  Yes No N/A	728.107(a)
728.107(a)(1)	If a generator determines that its waste is restricted, has a notice been sent with each shipment that	
	includes the following information:	728.107(a)(
	A) USEPA Hazardous Waste Number?	
	Yes No N/A	
	B) corresponding treatment standards or a reference to the treatment standard by section or applicable treatment code?	
	YesX No N/A	
	C) manifest number associated with the shipment of waste?	
	Yes No N/A	
	<ul> <li>D) for hazardous debris, the contaminants subject to treatment as provided by Section 728.145(b)</li> <li>and the following statement: "This hazardous debris is subject to the alternative treatment</li> </ul>	
	standards of Section 728.145?"	
	Yes No N/A	
	E) waste analysis data, where available?	
728 107(3)(2)	Yes No N/A	
720.107(a)(2)	Has the generator of a restricted waste that meets the applicable treatment standards submitted, with each shipment, a notice and certification, as specified in this Section, stating that the waste meets	728.107(a)
	applicable treatment standards and can be land disposed without further treatment?	
	Yes No N/A_X	
728.107(a)(3)	Has the generator of a restricted waste that has been exempted under Section 728.106 submitted a	
i.	notice, as specified in this section, with each shipment to the receiving facility, stating that the waste is not prohibited from land disposal?	728.107(a)
	Yes No N/A	
728.107(a)(4)	Has the generator who treats a prohibited waste in tanks or containers in order to meet the treatment	
	standards developed and followed a waste analysis plan?	728.107(a,
	Yes No N/A	
	Is the plan on – site?  Yes No N/A	
	Does the plan include a detailed physical and chemical analysis?	
	Yes No N/A	
	Has the plan been filed with the Agency at least 30 days prior to commencement of the treatment	
	activity? YesX No N/A	
	Yes No N/A	
	(LDR-1)	

-

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Has the generator submitted the required notification and certification that the waste meets treatment	
•	standards when the waste is shipped off-site?	
	Yes No N/AX	
28.107(a)(5)	Has the generator who has determined that the waste is restricted based on the generator's	
	knowledge and/or testing of the waste retained all supporting data used to make this	728.107(a) (5
	determination on – site?	
	Yes No N/A	
'28.107(a)(6)	If a generator determines, subsequent to the time of generation, that the generator is managing a	
	restricted waste which is excluded from the definition of hazardous or solid waste or exempt from RCRA.	728.107(a) (6
	has a one-time notification stating such generation been placed in the generator's files?	
	Yes No N/A_X	
728.107(a)(7)	Does a generator keep on -site a copy of all notices, certifications, demonstrations, waste analysis data	
	and other documentation produced pursuant to this Section for at least five years from the date of the	728.107(a) (7
	latest shipment?	
	Yes No N/A	
728.107(a)(8)	If a generator is managing a lab pack that contains waste identified in Appendix D of Part 728 and	
	wishes to use the alternative treatment standard under Section 728.142, has the generator submitted a	728.107(a)(
	notice and certification to the treatment facility with each shipment in accordance with this subsection?	
	Yes No N/AX	
728.107(a)(9)	If a generator is managing a lab pack that contains organic waste identified in Appendix E of Part 728	
	and wishes to use the alternative treatment standard, has the generator submitted a notice and	728.107(a)(
	certification to the treatment facility with each shipment in accordance with this subsection?	
	Yes No N/AX	
728.107(a 10)	Has a small-quantity generator with a tolling agreement pursuant to Section 722.120(e) retained on site	
	a copy of the notification and certification of the initial waste shipment together with the tolling	728.107(a)(1
	agreement for at least 3 years after the termination or expiration of the agreement?	
	Yes No N/A_X	
728.107(b)	Has the treatment facility tested its waste according to the frequency specified in its waste analysis plan	
	as required by Sections 724.113 or 725.113 and subsections (b)(1), (b)(2) and (b)(3) of this section?	728.107(b)
	YesX No N/A	
728.107(b)(4)	Has the treatment facility sent a notice to the land disposal facility with each shipment of waste that	
	includes the following information:	728.107(b)(
	A) USEPA Hazardous Waste Number?	
	Yes No N/AX	
	B) corresponding treatment standards or a reference to the treatment standard by section or	
	applicable treatment code?	
	Yes No N/AX	
	C) manifest number associated with the shipment of waste?  Yes No N/A  D) waste analysis data, where available?	
	Yes No N/A	
	b) waste analysis data, where available?	
	Yes No N/A	
728.107(b)(5)	Has the treatment facility submitted a certification, as specified in 728.107(b)(5), with each shipment of	
	hazardous waste or treatment residue to the land disposal facility?	728.107(b)
	Yes No N/A_	
728.107(b)(6)	If the waste or treatment residue will be further managed at a different treatment or storage facility, is the	
	treatment facility sending the waste complying with the notice and certification requirements of Section	728.107(b)
	728.107(a)?	
	Yes No N/A	

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
28.107(b)(7)	Has the recycling facility that is making off - site shipments of recyclable materials used in a manner	
	constituting disposal:	728.107(b)(7
	- submitted to the Agency a notice and certification with each shipment in accordance with	
	728.107(b)(4) and (b)(5)?	
	Yes No N/A_X	
	- kept records of the name and location of each entity receiving the hazardous'waste-derived	
	product?	
	Yes No N/A	
728.107(c)	Has the owner/operator of any land disposal facility disposing of any restricted waste, except where the	
	waste being disposed of is a recyclable material used in a manner constituting disposal:	728.107(c)
	1) maintained copies of the notice and certification specified in subsection 728.107(a) or (b)?	
	Yes No N/A	
	2) tested the waste to ensure that it is in compliance with applicable treatment standards or	
	prohibitions?	
	Yes No N/A	
28 107(0)/4)	Note: If the owner/operator is disposing of any waste that is a recyclable material used in a amanner	
20.107(0)(4)		
	constituting disposal, the owner/operator is not subject to the subsections (c)(1) and (c)(2) with	
	respect to such waste.	
728.107(d)	Has the generator or treater who first claims that their hazardous debris is excluded from the definition	
	of a hazardous waste under Section 728.103(f)(2) provided the following notification and certification:	728.107(d
	1) a one-time notification submitted to the Agency including the following information:	
	A) the name and address of the RCRA Subtitle D facility receiving the treated debris?	
	Yes No N/A	
	B) a description of the hazardous debris as initially generated including the applicable USEPA	
	hazardous waste number(s)?	
	Yes No N/AX	
	C) for debris excluded under Section 728.103(f)(2), the technology from Section 728, Table F?	
	Yes No N/A	
	2) Has the notification been updated if the debris is shipped to a different facility or if a different	
	technology is used to treat the debris?	
	Yes No N/A_X	
	3) For debris excluded under Section 728.103(f) (2), has the owner/operator of the treatment facility	
	documented and certified compliance with the treatment standards of Section 728, Table F	
	pursuant to this Subsection?	
	Yes No N/A	
	Section 728.109: Special Rules for Characteristic Wastes	
728.109(a)	Has the generator determined each USEPA hazardous waste code applicable to the waste in order to	
	determine the applicable treatment standards under Subpart D?	728.109(a
	YesX No N/A	
	Note: For purposes of this Part, the waste will carry the waste code for any applicable listing under Part	
	721, Subpart D and one or more of the waste codes under Part 721, Subpart C where the waste	
	exhibits the relevant characteristic, except in the case when the treatment standard for the	
	Subpart D waste code operates in lieu of the standard for the Subpart C waste code as specified	
	in subsection (b).	
728.109(b)	Does the waste meet the treatment standards for all applicable listed and characteristic waste codes?	
	Yes No N/A_X	728.109(b
	•	
	Note: Where a prohibited waste is both listed and characteristic, the treatment standard for the listed	
	waste code will operate in lieu of the standard for the characteristic waste code, provided that	
	the treatment standard for the listed waste includes a treatment standard for the constituent that	1
	causes the waste to exhibit the characteristic.	
		1

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
728.109(c)	Has the generator land disposed any prohibited waste which exhibits a characteristic under Part 721,	
9	Subpart C only if the waste complies with the treatment standards under Part 728, Subpart D (in	728.109(c)
	addition to any applicable standards determined from the initial point of generation)?	
	Yes No N/A X	
728.109(d)	1) Has the generator sent the required notification and certification to the appropriate Agency for each	
,	shipment of waste to a Subtitle D landfill that no longer exhibits the characteristic?	728.109(d)
	Yes	, 2011 00 (0)
	Does the notification include the following information:	
	A) name and address of the non-hazardous waste facility receiving the shipment?	
	Yes No N/A	
	B) description of the waste as initially generated, including USEPA hazardous waste number(s),	
	applicable wastewater or nonwastewater category and the subdivisions made within a waste	
	code based on waste specific criteria (such as D003, reactive cyanides)?	
	Yès No N/AX	
	C) treatment standards applicable to the waste at the initial point of generation?	
	Yes No N/A_X	
	2) Has the certification been signed by an authorized representative and is the language stated as	
	required in Section 728.107(b)(5)(A)?	
	Yes No N/A	
	Subpart C: Prohibition on Land Disposal	
	Subpart C. Frombition on Land Disposal	
	Section 728.130: Waste Specific Prohibitions Solvent Wastes	
728.130	Has the generator of a spent solvent waste (F001 - F005) land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.130
	Yes No N/A X  2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/AX	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes NoN/A	
	Section 728.131: Waste Specific Prohibitions Dioxin-Containing Wastes	
728.131	Has the generator of a dioxin-containing waste (F020, F021, F022, F023, F026, F027 or F028) land	
	disposed the waste only after having:	728.131
	1) met the treatability standards of Part 728, Subpart D; or	
	Yes No N/A_X	
	Yes No N/A	
i	Yes No N/AX	
:	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
1		
	Section 728.132: Waste Specific Prohibitions California List Wastes	
728.132	Has the generator of a California List Waste land disposed the waste only after having:	
	1) been granted an adjusted standard from a prohibition pursuant to a petition under Section	728.132
	728.106 (except for liquid hazardous waste containing PCBs at concentrations greater than or	
	equal to 500 ppm which are not elegible for exemptions; or	
	Yes No N/A	
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
	not specified, the wastes are in compliance with the applicable prohibitions set forth in this	
	Species of Species 700 1000	
	Yes No N/A	
	Yes No N/A/	ļ
		4

(LDR-4)

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Section 728.133: Waste Specific Prohibitions First Third Wastes	
728.133	Has the generator of a first third waste land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.133
	Yes No N/AX	
	2) been granted an adjusted standard pursuant to Section 728.106; or	
	Yes No N/A X	
	3) been granted an extension to the effective date of prohibition pursuant to Section 728.105?	
	Yes No N/A	
728.133(g)	Has the generator of a first third waste tested the waste or used knowledge of the waste to determine	
	whether it expends the applicable treatment standards?	728.133(g)
	Yes No N/A	
700 101	Section 728.134: Waste Specific Prohibitions —— Second Third Wastes	
728.134	Has the generator of a second third waste land disposed the waste only after having:	728.134
	1) met the treatability standards of Part 728, Subpart D; or  Yes No N/A	720.134
	2) been granted an extension to the effective date of prohibition pursuant to Section 728.105; or	
	Yes No N/A	
	3) been granted an exemption pursuant to Section 728.106?  Yes No N/A	
700 1046	Yes No N/A_X	
728.134(i)	Has the generator of a second third hazardous waste tested the waste or used his knowledge of the	728.134(i)
	waste to determine whether it exceeds the applicable treatment standards of 728.141 or 728.143?  Yes  No  N/A	/20.134(1)
	Yes No N/A	
	Section 728.135: Waste Specific Prohibitions —— Third Third Wastes	
728.135	Has the generator of a third third waste land disposed the waste only after having:	
	1) met the treatability standards of Part 728, Subpart D; or	728.135
	Yes No N/A	
	2) been granted an exemption from a prohibition pursuant to a petition under Section 728.106; or	
	Yes No N/A	
	3) met the applicable alternate standards established pursuant to a petition granted under Section	
	728.144; or	
	Yes No N/A	
	4) been granted an extension to the effective date of a prohibition pursuant to Section 728.105?	
	Yes No N/A	
728.135(j)	Has the generator of a third third waste listed in 728.110, 728.111 or 728.112 tested the waste or used	
	his knowledge of the waste to determine whether it exceeds the applicable treatment standards of	728.135()
	Sections 728.141 or 728.143?  Yes No N/A	
	Yes No N/A	
I	Section 728.139: Statutory Prohibitions	
728.139	Has a person caused, threatened or allowed the land disposal of any waste in violation of Section 3004	
*	of RCRA?	728.139
	Yes No N/A	
	Subpart E: Prohibitions on Storage	
	Note: Except as provided in this section, the storage of hazardous wastes restricted from land disposal	
	under Subpart C is prohibited.	
	Section 728.150: Prohibitions on Storage of Restricted Wastes	
728 150(a)(1	Has the generator stored restricted wastes in tanks or containers on—site solely for the accumulation of	
. 20 00(2)(1	such quantities as necessary to facilitate proper recovery, treatment or disposal?	728.150(a)(
	Yes No N/A	
	Has the generator complied with the requirements of Section 722.134?	
	Yes No N/A	
	(LDR-5)	1

. .

Regulation	RCRA LDR INSPECTION CHECKLIST (PART 728)	Violation
	Note agenerator in existence on the effective date of regulation under this Part and who must store	
	hazardous wastes for more than 90 days due to regulations under this Part becomes a TSD and must obtain a RCRA permit.	
728.150(a)(2)	Has the owner/operator of a TSD stored restricted wastes in tanks or containers solely for	
	the accumulation of such quantities of hazardous waste to facilitate proper recovery, treatment	728.150(a)(2
	or disposal?	
	Yes No N/A	
	If yes, has the owner/operator:	
	A) clearly marked each container to identify its contents and the accumulation start date?	
	Yes No N/A	
	B) clearly marked each tank to identify its contents, recorded the quantity of each hazardous waste	
	received and indicated the accumulation start date, all in accordance with the operating record	
	requirements of 724.173 or 725.173?	
	Yes No N/A	
728.150(a)(3)	Has the transporter stored manifested shipments of such wastes at a transfer facility for 10 days or less?	
	Yes No N/A	728.150(a) (3
728.150(b)	Has the owner/operator of a TSD stored restricted wastes up to one year solely for accumulation of such	
	quantities of hazardous waste as necessary to facilitate proper recovery, treatment or disposal?	728.150(b)
	Yes No N/A	
728.150(c)	Has the owner/operator of a TSD who has stored such wastes beyond one year proved that such	
	storage was solely for the accumulation of such quantities of hazardous waste to facilitate proper	728.150(c)
	recovery, treatment or disposal?	
	Yes No N/A	
	Note: If a generator's waste is exempt from a prohibition on the type of land disposal utilized for the	
	waste (e.g. case – by – case extension, incorporated by reference or an approved petition) the	
	prohibition in subsection (a) does not apply during the period of such exemption.	-
	Note: The prohibition in subsection (a) does not apply to hazardous wastes that meet the treatment	
	standards (728.141, 728.142 and 728.143) or the adjusted treatment standards (728.144) or	
	where the treatment standards have not been specified, is in compliance with the applicable	
	prohibitions in 728.132 or 728.139.	
728.150(f)	Have liquid hazardous wastes containing PCBs at concentrations greater than 50 ppm been stored at	
	a facility that meets the requirements of 40 CFR 261.65(b) and have they been removed from storage	728.150(f)
	and treated or disposed as required by this Part within one year of the date when such wastes were first	
	placed into storage?	
	Yes No N/A	
	Note: The provisions of subsection (c) do not apply to such PCB wastes prohibited under Section	
	728.132.	
	COMMENTO.	
	COMMENTS:	